

## MIND

**Activity:** Bacls-10<sup>12</sup> Morg-p<sup>12</sup>

### Ailments from:

embarrassment; from: Dys<sup>12</sup>  
 emotional stress: Dys., Syc., Prot.  
     - unremitting: Prot.  
     - in the past: Dys.<sup>7</sup>  
 excitement; general symps from: Morg-g<sup>12</sup> Prot<sup>12</sup>  
 fright: Prot.<sup>7</sup>  
 reproaches: Dys<sup>12</sup>  
 overwork: Bacls-7.<sup>2</sup>, Dys.<sup>2</sup>  
 stress: simultaneous physical & mental: Faec<sup>7</sup>  
 work pressures: Dys<sup>7</sup>

**Ambition:** Bacls-7.<sup>7</sup>

**Anger:** Morg-g., Prot., Syc.

    resentment from: Syc.  
 children, in: Faec.<sup>7</sup>, Prot.  
     antibiotics, after: Prot.<sup>2</sup>  
     constipated, while: Faec.<sup>7</sup>  
 contradiction agg.: Prot.  
 irascibility: Morg-g<sup>12</sup>  
 kicks, when angry: Prot.  
 kill, with impulse to: Prot<sup>12</sup>  
 quick temper: Morg-g., Prot., Syc.  
 sudden: Morg-g., Prot., Syc.  
 throws things away: Prot.  
 violent: Prot.

**Anorexia:** Bacls-10, Syc.

**Anticipation,** complaints from: Dys, Morg-p. Syc<sup>12</sup>

**Anxiety:** Bacls-10, Dys., Morg-g<sup>12</sup> Morg-p., Syc.<sup>2</sup>

    alone, when: Morg-p.  
 anticipating: Dys<sup>12</sup>  
 cope, unable to: Dys.  
 future, over: Dys.  
 health about: Morg-p.  
 palpitation; with: Dys<sup>12</sup>  
 stomach; arising from: Dys<sup>12</sup> Prot<sup>12</sup>  
 trifles over: Dys.

**Apprehensive:** Dys., Morg-g.

    events, important before: Dys.

**Autism:** (Faec.<sup>7</sup>, Prot.<sup>7</sup>)

**Bites nails:** Gaert, Morg-g. Syc.

**Brain fog:** (see MIND, fatigue)

**Brain storm:** Prot.

**Cares, worries; full of:** Dys<sup>12</sup>  
     trifles, about: Dys<sup>12</sup>

**Clean:** desire to be: Bacls-10<sup>7</sup>

### Company:

    alone agg.: Dys., Morg-p.  
 aversion to: Dys., Morg-p., Prot.  
 desires: Gaert. Mut<sup>12</sup>  
 strangers agg.: Dys.

**Concentration,** poor: Dys.

**Confidence,** lack of: Dys., Morg-g.<sup>7</sup>, Prot.<sup>12</sup>

**Confusion** of mind: Prot<sup>12</sup>

**Conscientious:** Dys.

**Conscientious** about trifles: Dys.<sup>12</sup> Syc<sup>12</sup>

**Consolation:** likes: Prot.  
     agg.: Dys.

**Contradiction;** intolerant of: Prot<sup>12</sup>

**Criticism,** sensitive to: Dys., Prot.

**Crawling,** rolling; floor, on; anger, during: Prot<sup>12</sup>

**Depressed:** (see MIND, sadness)

**Destructiveness:** Prot<sup>12</sup>

**Dullness,** sluggishness, difficulty of thinking and  
 comprehending: Dys.<sup>12</sup> Syc<sup>12</sup>

**Excitable:** Bacls-7.<sup>12</sup> Dys.<sup>12</sup> Gaert. Morg-p<sup>12</sup> Prot<sup>12</sup>  
     trembling; with: Dys

**Excitement agg.:** Dys.

**Fastidious:** Morg-g<sup>12</sup>

**Fatigue,** mental and physical: Bacls-7. Dys., Prot., Syc.  
     exertion mental & physical agg.: Bacls-7.  
     mental: Dys., Prot., Syc.  
     thinking of work agg. Bacls- 7.  
     thoughts of doing anything causes: Bacls-7.

**Fear:** Dys., Gaert., Morg-p.,  
Morg-g., Prot., Syc.

agoraphobia: Morg-p<sup>12</sup> Prot<sup>12</sup>  
alone, of being: Dys. Gaert, Morg-p<sup>12</sup> Prot<sup>12</sup> Syc.  
animals, dogs: Syc.  
buildings, in: Dys.  
bus, in: Dys.  
church, opera, hall or public show, when ready to  
go to: Dys<sup>12</sup>  
company, of: Morg-g., Dys.  
crowds: Dys<sup>12</sup> Morg-g., Morg-p.  
dark of: Dys., Gaert., Morg-p<sup>12</sup> Prot<sup>12</sup> Syc.  
end of world crisis: Morg-p.  
elevators, of: Dys<sup>12</sup>  
events, important of: Dys.  
excitement: Morg-g.  
falling, of: Prot<sup>12</sup>  
future, of: Dys.  
happen; something will: Morg-p<sup>12</sup> Prot<sup>12</sup>  
high places: Morg-g<sup>12</sup>  
ill health: Morg-p.  
insanity, of losing his reason: Prot<sup>12</sup>  
lift, in: Dys.  
loss of sexual attractiveness: Bacls-10<sup>7</sup>  
narrow place, in, claustrophobia:  
Dys<sup>12</sup> Morg-g<sup>12</sup> Morg-p<sup>12</sup>  
nervous breakdown, of: Morg-g.  
opinion of others, of: Prot<sup>12</sup>  
outdoors, to go: Dys.  
physician, will not see, he terrifies her: Dys<sup>12</sup>  
places closed: Dys. Morg-g.  
people, of, anthropophobia: Dys<sup>12</sup> Morg-g<sup>12</sup>  
public appearances of: Dys.  
storms of: Dys.  
strangers, new people: Dys.  
thunder of: Dys.  
touch, loss of: from: Prot.  
train, in: Dys.  
trifles: Dys<sup>12</sup>  
unknown: Morg-p.

**Fidgety:** Dys., Gaert., Syc.

**Frightened** easily: Prot<sup>12</sup>

**Forgetfulness;**  
words while speaking, of, word hunting: Prot<sup>12</sup>

**Fussy:** Dys., Morg-g., Syc.

**Horrible** things, sad stories, affect her profoundly: Prot<sup>12</sup>

**Hurry,** haste: Prot<sup>12</sup>

**Hygiene,** personal, obsessed with: Bacls-10<sup>7</sup>

**Hyperactivity:** children, in: Gaert,

**Hysteria:** Prot., Syc<sup>12</sup>  
contradiction agg.: Prot.

**Ideas fixed:** Prot.

**Impatient:** Dys., Morg-g.

**Insecure:** Dys.

**Intelligent:** Gaert.

**Introspective:** Bacls-7.<sup>7</sup>, Morg-p.

**Irritable:** Bac-10., Gaert. Morg-g., Morg-p., Mut.<sup>12</sup>  
Prot., Syc.

nervousness, with: Syc.  
menses, before: Morg-g.  
trifles, from: Prot<sup>12</sup>

**Jealousy:** Morg-g.

**Kicks:** Prot<sup>12</sup>

**Kill,** desire to: Prot<sup>12</sup>

**Megalomaniacs:** Bacls- 7.

**Memory,** poor: Dys., Prot<sup>12</sup>

**Nervousness:** Dys., Gaert, Morg-g, Prot, Syc.

anticipation agg.: Dys., Morg-p.  
alone, when: Gaert.  
breakdown, nervous: Morg-g.  
irritability, with: Syc.  
noise: Gaert,

**Nightmares:** Morg-g.<sup>12</sup> Syc.

**Night terrors:** Morg-g, Syc.

**Offended** easily: Morg-g<sup>12</sup> Prot<sup>12</sup>

**Positive outlook:** Gaert.<sup>7</sup>

**Prostration** of mind, mental exhaustion, brain fag:  
Bacls-7<sup>12</sup> Dys<sup>12</sup> Prot<sup>12</sup> Syc<sup>12</sup>

**Quarrelsomeness,** scolding: Prot<sup>12</sup>

**Quiet;** wants to be: Prot<sup>12</sup>

**Resentment:** Gaert.

**Wearisome:** Bacls-7<sup>12</sup>

**Reserved:** Dys.<sup>7</sup>

**Weeping,** tearful mood: Morg-g.<sup>12</sup> Morg-p<sup>12</sup> Mut.<sup>12</sup> Syc<sup>12</sup>

**Restless:** Bacls-7<sup>12</sup> Dys., Morg-g, Morg-p<sup>12</sup> Prot<sup>12</sup> Syc.

**Work;** impossible: Bacls-7<sup>12</sup>

**Rigidity:** Prot.

**Rolling;** floor, on the: Prot<sup>12</sup>

**Sadness:**

Bacls-10, Dys. Gaert., Morg-g,  
Morg-p., Prot., Syc.

failure to accomplish, from: Dys.

tension, from: Dys.

weeping: Dys., Morg-g.,

Morg-p., Prot., Syc.

**Screaming:** angry, when: Prot.

children, in: Prot.

**Senility,** premature: Bacls-7.

**Sensitive:** Dys. Gaert, Prot, Syc.

children in: Gaert.

criticism to: Dys.

all impressions: Dys., Gaert.

noises to: Gaert.

**Self reliant:** Bacls-7<sup>7</sup>

**Shrieking,** screaming, sleep during: Morg-g<sup>12</sup>

**Speech:**

stammers with excitement: Dys.

stammering of the old: Prot.

**Strangers,** in presence of, agg.: Dys.

**Stubborn:** Prot.

**Suicidal** tendency: Morg-p.

**Tense:** Bacls-7, Dys., Morg-g., Morg-g., Prot, Syc.

**Timidity:** Dys<sup>12</sup>, Syc<sup>12</sup>

**Unassertive:** Morg-g.<sup>7</sup>

**Unconsciousness,** coma, stupor; syncope: Bacls-7<sup>12</sup>

## VERTIGO

**Vertigo:** Dys., Morg-p., Prot.  
excitement, with: Dys.  
high blood pressure, with: Morg-p.  
sleep, afte: Dys.

**Faintness:** (see GENERALS: faintness)

**Meniere's disease:** Morg-p., Prot

# HEAD

**Alopecia:** (Dys.<sup>7</sup>), Morg-p., Syc.  
alopecia areata: Morg-g.

**Autonomic nervous system:**  
affections of: Dys.

**Cracks:**  
behind ears: Morg-p.  
under ears: Syc.

**Central nervous system,**  
affections of: Dys., Prot.  
epilepsy: Prot.  
chorea: Dys.

**Cerebral hemorrhage:** Morg-p <sup>12</sup>

**Congestion, hyperemia etc.:** Morg-p <sup>12</sup>

**Dandruff:** Dys.

**Eruptions:** head, on:  
Dys., Gaert., Morg-g. <sup>12</sup> Morg-p., Syc.  
cracks: Morg-g <sup>12</sup>  
crusts, scabs: Dys <sup>12</sup> Morg-g <sup>12</sup>  
dry: Syc <sup>12</sup>  
eczema: Dys <sup>12</sup>  
erysipelas: Morg-g <sup>12</sup>  
herpes: Syc <sup>12</sup>  
itching; margins of hair: Morg-p <sup>12</sup>  
margin of hair: Morg-p <sup>12</sup>  
moist: Morg-g <sup>12</sup> Morg-p <sup>12</sup>  
painful: Dys <sup>12</sup> Syc <sup>12</sup>  
pimples: Morg-p <sup>12</sup>  
pustular: Morg-g. <sup>12</sup> Morg-p.  
scaly: Dys., Morg-g <sup>12</sup> Morg-p <sup>12</sup> Syc.  
spots, dry, painful: Dys, Syc.

**Hair:**  
affections of; painful when touched: Dys <sup>12</sup>  
baldness: Morg-p <sup>12</sup>  
- patches, in: Morg-p <sup>12</sup>  
dry, brittle: Dys, Syc <sup>12</sup>  
fair: Dys, Gaert.  
falling: Morg-g <sup>12</sup> Morg-p. Syc <sup>12</sup>  
falls out, baldness: Prot, Syc <sup>12</sup>  
grey, premature: Syc.  
painful when touched: Morg-p <sup>12</sup>

**Inflammation, of; meninges, meningitis:** Syc <sup>12</sup>  
- tubercular: Syc <sup>12</sup>

**Itching;** Scalp: Morg-p <sup>12</sup>

## Pain:

**Headache:** Bac-10, Dys., Morg-p, Prot, Syc. .

**Bilious:** Morg-p.

**Blinding:** Dys.

**Children,** in, recurrent: Syc <sup>12</sup>

**Chronic:** Syc <sup>12</sup>

**Climacteric** period, during: Morg-p <sup>12</sup>

**Congestive:** Morg-p. Syc.

Flushed face with: Morg-p.

Constipation, with: Dys.

Eyes above: Bacls-10, Dys.

Left: Bacls-10.

**Heat;** amel.: Syc <sup>12</sup>

**Frontal:** Bacls-10, Dys., Morg-p.,  
Prot., Syc.

excitement from: Dys.

periodic:

every 7, 14 or 28 days: Dys.

weight, sense of, with: Prot.

Combing the hair: Dys <sup>12</sup>

Excitement of the emotions, after: Dys <sup>12</sup>

Eyes, blindness or visual complaints, precede or  
attend: Dys <sup>12</sup>

Furred tongue & diarrhoea, with: Prot.

Lying left side agg.: Syc.

Menses, before or after

agg.: Syc.

Menses, during: Dys <sup>12</sup>

Migraine: Dys., Morg-p. Syc <sup>12</sup>

Morning, in: Morg-p., Prot.

Motion; agg.: Syc <sup>12</sup>

Neck tension, from: (Prot.<sup>7</sup>) ...

Nervous: Dys <sup>12</sup>

Noise, from: Syc <sup>12</sup>

Occipital Morg-p.

Periodic: Dys. <sup>12</sup> Morg-p <sup>12</sup> Syc <sup>12</sup>

- every; seven days: Dys <sup>12</sup> Syc <sup>12</sup>

- every; sunday: Syc <sup>12</sup>

- every; fourteen Days: Dys <sup>12</sup>

Persistent: Dys. Syc. .

children, in: Syc.

Recurring: Syc.

children, in: Syc.

weekly: Syc.

Scalp: Dys, Morg-g.

on combing: Dys.

Sick: Morg-p., Syc.

**Head pain** - continued

Sinus infection, from: Syc.  
Tension: Dys. Morg-p.  
Throbbing: Syc.  
- heat, noise and rest amel: Syc.  
Thunderstorms; during: Morg-p <sup>12</sup>  
Vertex, in: Morg-p.  
Violent: Dys <sup>12</sup>  
- diarrhea, with: Dys <sup>12</sup>  
Vomiting; with: Dys <sup>12</sup> Syc <sup>12</sup>  
- amel.: Morg-p <sup>12</sup>  
Warmth; general, from warmth in; amel.: Syc <sup>12</sup>  
Weekly, sick headache: Morg-p. Syc.

**Head Pain; Localization;**

Brain; aching deep in: Syc <sup>12</sup>  
Forehead: Dys <sup>12</sup> Morg-p <sup>12</sup> Syc <sup>12</sup>  
Forehead; eyes; above; left: Bacls-10 <sup>12</sup>  
Forehead; chronic: Dys <sup>12</sup>  
Forehead; periodic: Syc <sup>12</sup>  
Occiput: Morg-p <sup>12</sup>  
Sides; left: Syc <sup>12</sup>  
- one sided: Morg-p <sup>12</sup>  
Vertex: Morg-p <sup>12</sup>

**Pulsating**, throbbing: Syc <sup>12</sup>  
noise agg.: Syc <sup>12</sup>  
rest amel.: Syc <sup>12</sup>  
warmth amel.: Syc <sup>12</sup>  
forehead: Syc <sup>12</sup>

**Perspiration**, Scalp; night: Dys. <sup>12</sup> Syc <sup>12</sup>  
sleep; during: Syc <sup>12</sup>

**Sensitive**, scalp: Dys. <sup>12</sup> Morg-g <sup>12</sup> Morg-p.  
brushing hair, from: Dys <sup>12</sup>

**Thrombosis:** Cerebral: Morg-p.

## VISION

**Blurred:** migraine, during: Prot.

**Colors** before the eyes;

- black; floating: Dys<sup>12</sup>
- black; spots; floating, muscae volitantes: Dys<sup>12</sup>
- yellow: Dys<sup>12</sup>

**Dimness:** Prot.

**Floating:** bodies (see Scotomata)

**Hemiopia:** Syc.

**Photophobia:** Dys. Syc.

**Scotomata:** Dys

**Spots:** Dys., Morg-p.

- floating: Dys<sup>12</sup>
- wooly: Dys.

**Yellow:** Dys.

**Zig-zags:** Dys.

**Vitreous opacities:** Morg-g.

## EYE

**Eruptions;** lids, on: Dys<sup>12</sup> Morg-p<sup>12</sup>  
- vesicles: Morg-p<sup>12</sup>

**Granular lids:** Morg-p<sup>12</sup>

**Inflammation:** Dys<sup>12</sup>  
- conjunctivae: Dys<sup>12</sup> Morg-p<sup>12</sup>  
- cornea, keratitis: Morg-p<sup>12</sup>  
- iris, iritis: Morg-p<sup>12</sup>  
- lids: Morg-g<sup>12</sup> Morg-p<sup>12</sup>

**Opacity;** cornea, of; vitreous: Morg-g<sup>12</sup>

**Sties:** Morg-g<sup>12</sup> Morg-p<sup>12</sup>

Photophobia: Dys<sup>12</sup>

**Quivering;** lids: Dys<sup>12</sup>

**Sties:** Dys<sup>12</sup>

**Thrombosis;** retinal vessels; central vein: Bacis-7<sup>12</sup>

**Tumors;** lids: Morg-g<sup>12</sup> Morg-p<sup>12</sup>  
cystic: Morg-g<sup>12</sup> Morg-p<sup>12</sup>

**Tumors;** tarsal tumors, cysts: Morg-p<sup>12</sup> Syc<sup>12</sup>

**Twitching;** lids: Dys<sup>12</sup>

**Ulcers:** cornea: Morg-g.

**Vitreous opacities:** Morg-g. Syc.

## EAR

**Catarrh;** Eustachian tube: Bacls-7<sup>12</sup> Morg-p<sup>12</sup>

**Deafness:** Bacls-7, Morg-p., Syc.  
tinnitus, with persistent: Dys.

**Discharge:** Dys., Gaert., Morg-p<sup>12</sup> Syc.  
cutting of teeth, during: Gaert.  
purulent: Dys., Morg-p<sup>12</sup> Syc.

**Discoloration;** purple: Dys<sup>12</sup>

**Eruptions:** Dys., Morg-g., Morg-p. Syc.  
boils: Morg-g., Morg-p.  
cracks, fissures; under: Syc<sup>12</sup>  
eczema:  
    ear passage: Morg-p.  
    - moist: Morg-p<sup>12</sup>  
mastoiditis: Morg-g.  
meatus: (including boils) Morg-p<sup>12</sup>  
scaling: Dys.  
swelling: Dys.  
sudden: Dys.  
wax, excess of: Syc.  
ears, behind: Morg-p.

**Itching** in: Syc<sup>12</sup>  
in; meatus: Syc<sup>12</sup>

**Mastoiditis:** Morg-g.

**Meniere's disease:** Morg-p., Prot.

**Otitis:** Morg-g.

**Otorrhoea:** Dys., Morg-g, Morg-p. Syc.,

**Swelling:** Dys<sup>12</sup>  
about ears; sudden: Dys<sup>12</sup>

**Wax,** excessive: Syc.

## HEARING

**Deafness:** Bacls-7, Morg-p., Syc.  
- catarrhal: Bacls-7, Morg-p., Syc.

**Impaired;** catarrh of eustachian tube, in:  
Bacls-7<sup>12</sup> Morg-p<sup>12</sup>

**Noises:** Morg-p.

- vertigo, with: Morg-p<sup>12</sup>



## NOSE

**Adenoids:** Syc <sup>12</sup>

**Catarrh:** Bacls-10, Gaert., Morg-g.  
Morg-p., Syc.

catarrhal tendency: Syc.  
dry, chronic: Morg-g.  
extending to; frontal sinuses: Morg-g <sup>12</sup> Morg-p <sup>12</sup>  
post nasal: Morg-g, Morg-p., Syc.

**Congestion** of blood: Syc <sup>12</sup>

**Coryza:** Dys., Morg-g <sup>12</sup> Prot, Syc.

annual (see Hayfever)  
extending to; chest:  
fluent: Prot.  
frequent: Dys.  
rhinorrhoea, vasomotor: Dys., Syc.  
extending to; chest: Syc <sup>12</sup>

**Cracks** in; nostrils; corners: Morg-p <sup>12</sup> Syc <sup>12</sup>

**Crusts:** Morg-g., Syc.

**Discharge;** - burning: Syc <sup>12</sup>  
- crusts/scabs, inside: Morg-g <sup>12</sup> Syc <sup>12</sup>  
- profuse: Morg-g <sup>12</sup>  
- watery: Dys <sup>12</sup> Syc <sup>12</sup>

**Discolouration:**  
red: Morg-g.

**Dry:** Morg-p., Syc.,

**Enlargement:**  
adenoids: Syc.

**Epistaxis:** Morg-g., Morg-p., Syc.

**Hayfever:** Dys., Syc.  
- eggs, after eating: Syc <sup>12</sup>

**Obstruction:** Syc <sup>12</sup>

**Pain:**  
burning: Syc.  
root: Dys. <sup>12</sup>

**Polypus:** Gaert, Morg-g, Prot, Syc.,

**Sinusitis:** Morg-g., Morg-p., Syc..  
- infection, from: Morg-g., Morg-p. Syc.  
- antrum, in: Morg-p.

**Smell,** sense of, lost: Morg-p. Syc.

**Ulcers;** inside: Morg-g <sup>12</sup>

**Vasomotor rhinorrhoea:** Dys., Syc.

## FACE

**Cancer;** cheeks: Morg-g <sup>12</sup> Syc <sup>12</sup>

### Cracks:

- angles in mouth:  
Morg-g <sup>12</sup> Morg-p <sup>12</sup> Prot., Syc.
- lips: Dys., Syc.  
angles, in: Syc,
- nose angle, in: Morg-p., Syc.

### Discolouration:

- dark: Bacls-7, Bacls-10.
- dark circles around eyes: Gaert
- dark during menopause: Morg-p.
- red flushed: Morg-p.
- redness:
  - cheeks: Morg-p.
  - excitement, from: Dys <sup>12</sup>
  - flushes: Morg-p <sup>12</sup>
  - lips: Morg-p.
- pale: Bacls- 7, Bacls-10, Dys., Gaert, Morg-g,  
Morg-p., Prot, Syc.
- sallow: Syc <sup>12</sup>  
sickly color: Syc <sup>12</sup>  
yellow: Syc <sup>12</sup>

**Distortion:** Dys <sup>12</sup>

### Dryness:

lips Dys , Morg-p., Syc.

**Eruptions:** Dys., Morg-g., *Morg-p.*, Syc.

**Acne:** Dys., Morg-g <sup>12</sup> Morg-p.  
acne rosacea: Morg-p., Syc.  
candy causes acne: Dys.  
menses before: (Dys. <sup>7</sup>)

**Crusty:** Morg-g <sup>12</sup>

**Eczema:** Morg-p., Syc.  
chin on: Morg-p.  
face: Syc.  
forehead: Morg-p.

**Erysipelas:** Morg-p., Staphycoc.

**Fissures:** Morg-g <sup>12</sup> Morg-p <sup>12</sup>

**Herpes:** Dys. <sup>12</sup> Morg-g <sup>12</sup> Syc <sup>12</sup>  
lips; about: Dys. <sup>12</sup> Syc <sup>12</sup>  
mouth; around: Syc <sup>12</sup>  
nose: Morg-g <sup>12</sup>  
red; erythema: Syc <sup>12</sup>  
vesicles; cheeks, on: Syc <sup>12</sup>

**Moist:** Morg-g <sup>12</sup> Morg-p <sup>12</sup>

**Papulo-pustular:** Morg-g. Morg-p <sup>12</sup>

**Red:** Morg-p <sup>12</sup>

**Scaly:** brow, on: Morg-p.

**Scurfy:** Morg-g <sup>12</sup>

**Erysipelas:** Morg-g <sup>12</sup>

**Erythema:** chin and upper lip: Prot.

**Expression;** alert: Dys <sup>12</sup>

**Eyes:** blue: Gaert.

### Eyelashes:

dark: Gaert, Syc.  
long: Gaert, Syc.

**Eyebrows,** about: Morg-p <sup>12</sup>

- crusty: Morg-p <sup>12</sup>
- itching: Morg-p <sup>12</sup>
- scaly: Morg-p <sup>12</sup>

**Expression - anguished:** Dys.

**Florid:** Bacls-10, Morg-g, Morg-p, Prot.

**Fissures,** dry, hot pustular, red or weeping: Morg-p.

**Freckles:** Gaert.

**Greasy:** Syc <sup>12</sup>

**Hair,**

face, on: Syc., Morg-p<sup>12</sup>  
- child's: Morg-p<sup>12</sup>

upper lip, on: Syc.

hairy: Morg-p.

**Heat:** Morg-p<sup>12</sup>

**Herpes:** Morg-g., Morg-p.

face: Dys , Syc.

**Inflammation;** jaw, periost of: Morg-p<sup>12</sup>

- periosteum; lower jaw: Morg-p<sup>12</sup>

**Oedema:** Morg-g.

sudden: Morg-p

**Pain,** aching:

- prosopalgia; cheek bones, zygoma: Morg-p<sup>12</sup>  
- jaw; lower: Morg-p<sup>12</sup>

Jaw bones: Morg-p.

- neuralgic: Dys<sup>12</sup> Morg-g<sup>12</sup> Syc<sup>12</sup>

facial: Syc.

left side face: Morg-g.,

orbital, supra and infra: Dys.

**Sinusitis:** Morg-p., Syc..

**Stiffness;** lips; morning: Morg-p<sup>12</sup>

**Swelling:** Bacls-7., Morg-g., Morg-p<sup>12</sup> Prot., Syc.

sudden: Morg-g.

angio neurotic: Bacls-7, Morg-p<sup>12</sup> Prot.

edematous: Morg-g<sup>12</sup>

- sudden: Morg-g<sup>12</sup>

eyes, under: Syc.,

eyes; around: Mut.<sup>12</sup>

**Tic:** Dys<sup>12</sup>

**Twitching** muscles: Dys<sup>12</sup> Syc.

## MOUTH

**Adheres** to palate, Tongue: Syc <sup>12</sup>

**Aphthae** (see MOUTH: ulcers)

**Coated:** Morg-p <sup>12</sup>  
- tongue: Morg-p <sup>12</sup>

**Cracked**, fissured; Tongue: Syc <sup>12</sup>

**Discharge;** pyorrhoea: Morg-g <sup>12</sup>

**Discoloration;** Tongue; dirty: Morg-g <sup>12</sup>

**Dryness:** Morg-p <sup>12</sup>

- Tongue: Morg-p <sup>12</sup> Syc <sup>12</sup>

**Eruptions;** herpes: Syc <sup>12</sup>

**Fissure:**

mouth: Morg-g.  
angles in: Morg-g.  
tongue: Gaert, Syc.

**Halitosis:** (see Odour offensive)

**Herpes:** Gaert., Syc.  
persistent: Syc.

**Inflammation,**

gums: Bacls-10., Dys , Morg-g.  
- bleed easily: Dys.  
- pyorrhoea: Morg-g.  
- spongy: Bacls-10.

**Odour offensive:** Bacls-10, Morg-p.

**Mucus,** slime;

Tongue, collection of, on: Morg-g <sup>12</sup> Morg-p <sup>12</sup>

**Pain:** tongue: Dys., Morg-g., Morg-p.

burning: Dys., Morg-g., Morg-p.  
burnt, as if; Dys <sup>12</sup> Syc <sup>12</sup> Morg-p <sup>12</sup>  
root of: Morg-p <sup>12</sup>  
sore; Dys.<sup>12</sup> Syc <sup>12</sup> Morg-p <sup>12</sup>  
splinter, like a; Syc <sup>12</sup>  
stitching; Morg-g <sup>12</sup> Syc <sup>12</sup>  
stitching; needles or pins, like: Syc <sup>12</sup>

**Pyorrhoea:** Morg-g.

**Pyrosis:** Morg-g., Morg-p.

**Quinsy:** Bacls-7, Syc.,

**Salivation:**

saliva increased: Gaert, Morg-p. Syc.

**Saliva:**

glutty: Morg-g.  
thick and sticky: Dys.  
viscid: Morg-g <sup>12</sup>  
viscid; morning: Morg-g <sup>12</sup>

**Sensitivity, tenderness,** gums: Prot.

**Spongy;** Gums: Bacls-10 <sup>12</sup>

**Sticky,** viscid; Tongue: Morg-g <sup>12</sup>

**Swelling: tongue:** Morg-p <sup>12</sup>

**Stiffness:**

lips: Morg-p.  
morning: Morg-p.  
tongue; morning on waking: Morg-p <sup>12</sup>

**Taste:**

Acid: Morg-p.  
Bad: Dys., Morg-g., Morg-p., Syc.  
Bitter: Morg-g., Morg-p.  
Burning: Morg-p.  
Lost: Morg-p., Syc <sup>12</sup>  
Salty: Prot.  
Sour: Morg-p. Syc.

**Tongue:**

coated: Morg-p.  
dirty: Morg-g.  
dry: Morg-p., Syc.  
furred: headache and diarrhoea, with: Prot.  
pins and needle sensation: Morg-g. Syc.  
raw: Dys., Morg-p.  
scalded: Syc.  
slimy: Morg-p.  
stiffness: morning: Morg-p.  
swelling: Morg-g.

**Ulcers:** Dys., Morg-p, Prot, Syc.

deep: Syc.  
tongue: Dys., Morg-p <sup>12</sup> Syc.  
tip: Dys.

**Warts:** tongue: Morg-p, Syc.

## TEETH

**Teething:** Gaert.

**Discolouration:** black: Gaert.

**Grinding:** sleep, in: Syc., Prot.<sup>7</sup>

## THROAT

**Apple core had lodged, as if:** Morg-p<sup>12</sup>

**Burns from acidity:** Morg-g.

**Caseous deposits in tonsils:** Morg-p<sup>12</sup> Syc<sup>12</sup>

**Catarrh:** Syc.

**Choking, easily:** Morg-p., Syc.  
     apple core sensation: Morg-p.  
     swallowing, when: Syc.

**Dry:** Dys., Morg-p. Syc.

**Enlargement of;** Tonsils, of: Syc<sup>12</sup>

**Flatulence:**  
     ball of flatulence in throat: Prot.

**Granular:** Morg-p.

**Hawks up cheesy lumps:** Syc<sup>12</sup>

**Inflammation;**

    Pharynx, chronic: Dys<sup>12</sup> Morg-p<sup>12</sup>  
     Tonsils: Bacls-7<sup>12</sup> Dys.<sup>12</sup> Morg-p<sup>12</sup> Syc<sup>12</sup>  
     - recurrent: Dys.<sup>12</sup> Morg-g<sup>12</sup> Morg-p<sup>12</sup> Syc<sup>12</sup>

**Mucus, profuse:** Syc.  
     morning, in: Syc.

**Pain;** burnt, as if: Morg-g<sup>12</sup> Morg-p<sup>12</sup> Syc<sup>12</sup>  
     rawness: Morg-p<sup>12</sup> Syc<sup>12</sup>  
     sore, bruised: Syc<sup>12</sup>

    - stool after: (Morg-p.<sup>7</sup>)

**Parched:** Morg-p.

**Pharyngitis:** Morg-p.

**Relaxed:** Prot.

**Sensation:**  
     throat scorched, as if: Syc.

**Swelling:** adenoids: Syc<sup>12</sup>  
     tonsils: Syc<sup>12</sup>  
     uvula: Morg-g.

**Suppuration;** Tonsils: Syc<sup>12</sup>

**Swallowing;** difficult: Syc<sup>12</sup>

**Tonsils:**  
     cheesy masses, from Morg-p., Syc.  
     enlarged: Syc.  
         children, in: Syc.  
     inflammation: tonsilitis:  
         Bacls-7, Dys., Morg-g, Morg-p., Syc.  
     - recurring:  
         Dys., Morg-g, Morg-p., Syc.

## EXTERNAL THROAT

**Eruptions;** herpes: Dys<sup>12</sup> Syc<sup>12</sup>

**Fibrositis:** Dys<sup>12</sup> Syc<sup>12</sup>

**Glands enlarged:** Morg-p<sup>12</sup> Syc.

**Goitre:** Dys<sup>12</sup> Morg-p<sup>12</sup> Syc.

**Induration of glands:** Syc<sup>12</sup>

**Swelling;** Cervical Glands: Morg-p<sup>12</sup> Syc<sup>12</sup>

**Thyrotoxicosis:** Dys.

**Thyroid enlarged:** Dys., Morg-g.

**Torticollis:** Syc<sup>12</sup>

## STOMACH

**Acidity:** Morg-p., Prot.  
food amel.: Morg-p.

**Appetite:**  
diminished: Bacls-10, Syc.  
eats a lot but loses weight: Gaert.  
fastidious: Syc.  
finicky: Syc.  
increased, hunger; eating; after: Syc <sup>12</sup>  
wanting: Bacls-10 <sup>12</sup> Syc <sup>12</sup>  
wanting; morning: Bacls-10 <sup>12</sup> Syc <sup>12</sup>

**Apprehension** in: Dys <sup>12</sup>

**Biliousness:** Morg-p., Syc.

**Duodenal ulcers**  
(see STOMACH, ulceration, duodenum)

**Dilation:** Dys.

**Disordered;** eggs, from: Syc <sup>12</sup>  
coffee: (Bacls-7 <sup>7</sup>)  
fat food, after: Syc <sup>12</sup>  
onions, after: Syc <sup>12</sup>  
oranges, after: Syc <sup>12</sup>

**Distension:** Bacls-7, Dys.  
eating; after: Dys <sup>12</sup>

**Empty feeling:** Dys.

**Eructations:** Bacls-7, Dys., Morg-g, Morg-p., Syc.  
acid: Syc.  
bitter: Morg-p <sup>12</sup> Syc <sup>12</sup>  
foul: Morg-g <sup>12</sup>  
excessive: Morg-g.  
odour, bad: Morg-g.  
sourness, pyrosis: Morg-g, Morg-p., Syc <sup>12</sup>  
vomiting, without: Bacls-7.

**Flatulence:**  
stomach: Bacls-7, Morg-g, Prot, Syc.

**Fullness:** Bacls-7. Morg-g <sup>12</sup>  
eating after: Bacls-7.  
sensation of; eating; after; ever so little: Morg-g <sup>12</sup>

**Haematemesis:** Morg-p.

**Heartburn:** Dys <sup>12</sup> Morg-p <sup>12</sup> Syc <sup>12</sup>  
eating amel: Morg-p <sup>12</sup>

**Indigestion:** Dys. Gaert. Morg-g. Syc.  
allergies: Gaert.  
bitter: Morg-p.  
catarrh: Syc.  
fats agg.: Dys.  
infants due to artificial feeding: Gaert.  
long time, for a: Dys.  
sweets agg.: Dys.

**Nausea:** Bacls-10, Dys., Morg-p., Syc.  
carbonated drinks agg.: (Dys <sup>7</sup>)  
climacteric period in: Morg-p <sup>12</sup>  
cough, during: Syc <sup>12</sup>  
eggs agg.: Syc.  
morning, in: Syc.  
excitement, from: Dys.  
food; smell of; cooking: Syc <sup>12</sup>  
headache, during: Morg-p <sup>12</sup>  
smell of food cooking, from: Syc.

**Pain;** general: Dys. <sup>12</sup> Syc <sup>12</sup> Morg-p <sup>12</sup>  
midnight; after: Dys <sup>12</sup>  
eating; after: Dys <sup>12</sup> Morg-g. <sup>12</sup>  
eating; after; two hours to three hours later: Dys <sup>12</sup>  
eating; amel.: Dys <sup>12</sup> Morg-p <sup>12</sup>  
swallowing, on; cardiac end of stomach, at: Dys <sup>12</sup>  
pylorus: Dys <sup>12</sup>

**Pain;** burning: Morg-p <sup>12</sup> Syc <sup>12</sup>  
- eating amel.: Morg-p <sup>12</sup>

sore, bruised, beaten, tenderness: Morg-p <sup>12</sup>

**Peptic ulcers:** Morg-p., Morg-g.

**Pyloric stenosis,** congenital: Dys.

**Retching:** Morg-p.

**Splashing,** in: Dys.

**Ulceration:**

**duodenum:**

Dys., Morg-g., Morg-p., Prot.

- history of: Morg-g.  
- nerve strain, prolonged from: Prot.  
- nervous temperaments, inherited in: Dys.  
- nervous tension, preceded by: Dys.  
- perforation, tendency to: Prot.  
sudden: Prot.

**peptic:** Morg-g <sup>12</sup> Morg-p.

**Vomiting:**

Bacls-7., Bacls-10, Dys., Gaert., Morg-g., Morg-p., Prot.,  
Syc.

- bile Dys <sup>12</sup> Morg-p <sup>12</sup>  
    headache; with: Dys <sup>12</sup>
- blood of, haematemesis: Morg-p. Mut. <sup>12</sup>
- children, in: Dys,
- cough, with: Syc.
- cyclical: Dys.
- eating; after: Morg-g <sup>12</sup>
- eggs agg.: Morg-p., Syc..
- eructations, without: Bacls-7.
- headache, with: Gaert., Syc <sup>12</sup>
- headache more than vomiting: Dys.
- food, after: Morg-g, Prot.
- large quantities of mucus amel. pain in  
    stomach: Dys.
- night: Syc.
- stomach must empty Syc.
- pain in abdomen, vomiting agg.: Dys.

**Waterbrash:** Morg-p.

## ABDOMEN

**Appendicitis:** Syc.

**Biliousness:** Morg-p., Syc.

**Cholecystitis:** Morg-g.

**Colitis:** Dys.

**Colon, inflamed:** Dys

**Cracks** on surface of abdomen;  
Inguinal region: Bacls-10<sup>12</sup>

**Discharge** from umbilicus: Morg-p<sup>12</sup>

**Discoloration;** redness; Umbilicus, region: Morg-p<sup>12</sup>

**Distention,** Abdomen: Bacls-7.<sup>7</sup>, Dys., Morg-g, Syc.  
- eating; after: Morg-g<sup>12</sup>  
- flatus with: Morg-g.  
(‘Wants to puncture with pin’<sup>7</sup>)  
- sensation: Morg-g.  
- epigastrium: Syc.  
Colon: Morg-g<sup>12</sup>  
Cheese agg. (Bacls-7<sup>7</sup>)  
Wheat agg. (Bacls-7<sup>7</sup>)

**Diverticular disease:** (Morg-g.<sup>7</sup> Morg-p<sup>7</sup>) ...

**Enteroptosis:** Bacls-7<sup>12</sup> Syc<sup>12</sup>

**Eruptions;** herpes;  
- inguinal region: Bacls-10<sup>12</sup> Morg-p<sup>12</sup> Syc<sup>12</sup>  
- herpes; zona; right: Morg-p<sup>12</sup>

**Excoriation** on; Inguinal region: Bacls-10<sup>12</sup>

**Flatulence:**  
abdomen: Bacls-7<sup>12</sup> Dys. Morg-g., Morg-p., Prot.,  
Syc<sup>12</sup>  
excessive: Morg-g.

**Fullness:** epigastrium: Morg-g.  
food unrelated to: Morg-g.

**Gall bladder:**  
inflammation: Morg-g., Morg-p.  
stones: Morg-g, Morg-p.

**Gastro-enteritis:** Gaert., Syc.  
chronic: Gaert, Syc.

**Hirschsprung** diseases: Syc.

### Inflammation:

Colon: Dys., Gaert.  
- inflammatory arthritis, in conjunction  
with: Gaert.<sup>2</sup>

- antibiotics, after: Gaert.<sup>2</sup>  
- gastroenteritis, after: Gaert.<sup>2</sup>  
- peritonitis/enteritis; appendix: Syc<sup>12</sup>

Gall-bladder, cholecystitis: Morg-g<sup>12</sup> Morg-p<sup>12</sup>  
Liver: Morg-g<sup>12</sup> Morg-p<sup>12</sup>

**Intestinal infantillism:** Gaert.  
villous atrophy: E-coli.<sup>2</sup>, Gaert.<sup>2</sup>

**Liver:** (affections in general) Morg-g., Morg-p.  
- congestion: Morg-p.  
- jaundice: Morg-g., Morg-p.  
- tender: Morg-p.

**Malnutrition:** Gaert.

**Movements** in; morning: Bacls-10<sup>12</sup>

**Noises, Rumbling:** Dys<sup>7</sup>

**Pain:**  
epigastrium: tenderness of: Morg-p.  
wakes at 2 or 3 A.M. with distention: Dys.

abdomen: vomiting agg.: Dys.  
gallbladder: Bacls-10<sup>12</sup> Dys.<sup>12</sup> Morg-g<sup>12</sup> Morg-p<sup>12</sup>  
hypochondria: Bacls-7<sup>12</sup> Morg-g<sup>12</sup> Morg-p<sup>12</sup>  
hypochondria; right: Bacls-7<sup>12</sup> Morg-g<sup>12</sup>  
- extending to; scapula; right: Morg-g<sup>12</sup>  
iliac region: Bacls-10<sup>12</sup>, Morg-p<sup>12</sup> Syc<sup>12</sup>  
iliac region; left; extending to inguinal region and  
halfway right: Bacls-10<sup>12</sup>  
Ileo-caecal region: Morg-g<sup>12</sup>  
inguinal region: Dys<sup>12</sup>  
liver: Bacls-7<sup>12</sup> Morg-p<sup>12</sup>

**Sensation:**  
ball as if, in abdomen: Prot.  
distension abdomen: Morg-g.

**Swelling;** mesenteric glands: Syc<sup>12</sup>

**Ulcers;** Duodenum: Dys<sup>12</sup> Morg-g<sup>12</sup> Morg-p<sup>12</sup>

**Umbilicus,** moist: Morg-p.



# RECTUM

**Alternating** / erratic bowel habit: (Morg-g<sup>7</sup>) ...

**Catarrh** of the rectum: Morg-g<sup>12</sup> Morg-p<sup>12</sup>

**Condylomata:** Syc<sup>12</sup>

**Condylomata;** Anus, around: Syc<sup>12</sup>

**Constipation:**

Bacl-7, Dys. Gaert, Morg-g, Morg-p., Mut.<sup>12</sup> Prot, Syc.

-alternating with looseness: (Morg-g.<sup>7</sup>) ...

**Diarrhoea:**

Bacl-7., Bacl-10, Dys., Gaert., Morg-g., Morg-p., Prot., Syc.

eating after: Morg-g. Morg-p<sup>12</sup>

excitement from: Dys., Syc.

every few weeks: Gaert.

fats, from: Dys. Syc<sup>12</sup>

headache; during: Dys<sup>12</sup>

with headache and furred tongue: Prot.

loose: Morg-g, Morg-p.

urgent: Morg-g, Morg-p.

morning agg.: Bacl-7.<sup>2</sup>, Dys, Morg-p., Syc.

urgent on rising: Syc.

sweets, after: Dys.

worry, from: Dys.

**Distended**, sensation as if: Syc.

**Eruptions:** perineum: Morg-p.

**Fissure**, anus: Morg-g., Morg-p.,

**Hemorrhage;** anus, from: Morg-g<sup>12</sup> Morg-p.<sup>12</sup>

- stool; after; hard, from: Morg-g<sup>12</sup> Morg-p.<sup>12</sup>

**Haemorrhoids:**

Bacl-7., Dys., Morg-g, Morg-p, Prot.

- bleeding: Morg-g, Morg-p., Prot.

- itching: Morg-g, Morg-p., Prot.

- itch and bleed: Prot.

- painful: Morg-g., Morg-p.

- prolapse: come down when walking: Dys.

**Hirschsprung** diseases: Syc.

**Inactivity** of rectum: Bacl-10<sup>12</sup>

**Itching:** anus: Bacl-10, Morg-g, Morg-p., Syc<sup>12</sup>

**Lump** sensation of: Dys<sup>12</sup>

**Mucus**, discharge of; stool; after: Morg-p<sup>12</sup>

**Pain;**

burning (incl. perineum) Morg-p<sup>12</sup>

pulsating: Dys<sup>12</sup>

splinter, like a: Syc<sup>12</sup>

**Plug;** pressing out, were, as if: Dys<sup>12</sup>

**Prolapse:** rectum: Morg-g., Syc.

**Pruritis ani** (see RECTUM: itching)

**Pulsation:** Dys<sup>12</sup>

perineum: Dys<sup>12</sup>

**Sensation:**

- rectum distended, as if: Syc.

- throbbing, pelvis: Dys.

- throbbing, perineum: Dys.

**Spasm**, rectal, children, in: Prot.

**Urge** after urination: Dys.

**Warts:** Peri-anal: Syc..

**Worms:** Gaert. Morg-g<sup>12</sup> Morg-p<sup>12</sup>

children, in: Morg-g<sup>12</sup>

thread: Gaert, Prot.

## STOOL

**acid, corrosive, excoriating:** Syc <sup>12</sup>

**balls:** ('like maltesers') Faec.<sup>7</sup>

**bloody:** Gaert. Morg-p., Prot,

**clay-colored:** Syc <sup>12</sup>

**crumbles:** Syc.

**dry:** Morg-g.

**excoriating:** Syc.

**frequent:** Dys.

- meals, after: Morg-p., Syc.
- urgent: Morg-g., Morg-p.
- morning, in: Bacls -10, Morg-p.

**frothy:** Syc.

**foul:** Morg-p <sup>12</sup>

**hard:** Morg-g.

**light-colored:** Syc <sup>12</sup>

**loose:** Dys., Syc., Morg-g. Morg-p.

**lumpy:** Dys.

**mucus, with:**

Dys., Gaert, Morg-g., Morg-p., Syc.

- slimy, bloody: Morg-p <sup>12</sup>

**offensive:** Gaert, Morg-p. Syc.

**pale:** Syc.

**pasty:** Morg-p.

## KIDNEYS

**Calculi:** Morg-g.

**Colic:** Morg-g., Syc.  
4-8 p.m. agg.: Morg-g.

**Inflammation:** Morg-g <sup>12</sup> Syc.

**Irritation, of:** Morg-g., Syc.  
left side: Morg-g,

**Nephritis:** Morg-g, Syc.

**Pain:** Morg-g., Prot., Syc.  
- aching  
    kidney region: Prot.  
- colic: Morg-g <sup>12</sup>

**Pyelitis:** Morg-g., Syc.

## BLADDER

**Cystitis:** (see BLADDER: inflammation)

**Enuresis:** Morg-g, Morg-p.

**Infection, chronic with MRSA, following surgery:**  
(Syc.<sup>7</sup>)

**Inflammation (cystitis):**  
E-coli.<sup>7</sup> Morg-g., Morg-p., Mut <sup>12</sup>, Syc.

- recurrent: Morg-p <sup>12</sup>

**Pain;** urination; during: Syc <sup>12</sup>

**Urging** to urinate:  
morbid desire; bus, train or car, in: Dys <sup>12</sup>  
Urging to urinate, frequent: Dys <sup>12</sup>  
Urging to urinate, riding, when: Dys <sup>12</sup>

**Urination:**  
- frequent: Bacls-10, Morg-g., Syc.  
- involuntary: Dys <sup>12</sup> Syc <sup>12</sup>  
- incontinence in bed: Morg-g <sup>12</sup> Syc <sup>12</sup>  
- pain, with: Syc.  
- urgent: Dys., Syc.  
    train, in: Dys.

## URETHRA

**caruncle:** Bacls-10, Morg-p.

**gonorrhoea:** Syc.

**inflammation:** Syc., Bacls-10, Morg-p.

**pain: burning:** Gaert, Prot.

## URINE

**acid:** Morg-p <sup>12</sup> Syc <sup>12</sup>

**albuminous:** Dys <sup>12</sup> Syc. Mut. <sup>12</sup>

**blood, in:** Gaert.

**cloudy** and foetid: Prot.

**corrosive:** Morg-p., Syc.

**mucus:** Gaert.

**feeble** flow: Bacls-7.

**odour:**

ammoniacal: Prot. <sup>2</sup>

beans, like boiled: Mut <sup>12</sup>

heavy: Syc

offensive: Morg-p <sup>12</sup> Syc

strong: Morg-p., Syc.

**sediment;** renal calculi: Morg-g <sup>12</sup>

**sugar,** contains: Morg-p.

**whitish fibres,** in: Prot.

## MALE GENITALIA

**Balanitis:** Syc.

**Cracks:** genitals: Bacls-10.

**Discharge:** Syc.  
purulent: Syc.

**Dryness:** Bacls-10.

**Erections;** wanting: Bacls-7 <sup>12</sup>

**Eruptions:** Morg-p.  
- dry: Morg-p <sup>12</sup>  
- eczema: scaly on genitals: Morg-p.  
scrotum, on: Morg-p.  
- vesicular: Morg-p.

**Gonorrhoea:** Syc.

**Herpes:** Dys, Gaert, Morg-g, Prot. Syc <sup>12</sup>  
- mucutaneous, margins, at: Prot.

**Hydrocele:** Gaert.

**Inflammation:** Bacls-10., Syc.  
- penis: Syc.  
- glans: Syc.  
- prepuce: Syc.

**Impotence:** Bacls-7., Syc..

**Itching:** *Morg-p.*, Prot.

**Masturbation,** disposition to: Dys <sup>12</sup>  
children, in: Dys <sup>12</sup>

**Rawness:** Bacls-10.

**Warts:** Syc.

## FEMALE GENITALIA

**Bartholinitis:** Morg-p.

**Bleeding:**  
intermenstrual: Bacls-7, Morg-p, Syc.  
postmenopausal: Bacls-7, Morg-p, Syc.

**Boils:**  
vagina, in: Prot.  
vulva: Morg-p.

**Douches,** excessive use of, after: Bacls-10 <sup>7</sup>

**Dryness:** Bacls-10. Dys.  
vagina: Dys.

**Dysmenorrhoea:** Dys., Morg-g, Syc.

**Dyspareunia:** Bacls-7, Morg-p.

**Congestion;** Vagina, Bartholin's gland: Morg-p <sup>12</sup>

**Cracks:** vulva: Bacls-10.

**Cysts:**  
ovarian: Syc.

**Eruptions:** Morg-p.  
Boils: Morg-p.  
dry, scaly, pudenda on: Morg-p.

**Fibroids:**  
uterus: Morg-p.

**Gonorrhoea:** Syc.

**Herpes:** Dys, Gaert, Morg-g, Prot.  
mucutaneous, margins, at: Prot.

**Hygeine:** over-zealous, ailments from: Bacls-10 <sup>7</sup>

**Inflammation:** Morg-p <sup>12</sup> Prot, Syc.  
Bartholin's gland: Morg-p <sup>12</sup>  
fallopian tube: Syc.  
vagina: Prot, Morg-p <sup>12</sup> Syc.  
boils, in: Prot.

**FEMALE GENITALIA continued**

**Itching:** Bacls-10<sup>12</sup> Dys, Gaert., Morg-g., Morg-p.  
Prot., Syc.

vagina: Dys, Morg-p.

vulva: Bacls-10, Dys. Gaert., Morg-g.,  
Morg-p., Prot., Syc.

**Leucorrhoea**

- acrid/excoriating:  
Bacls-7<sup>12</sup> Morg-g<sup>12</sup> Morg-p<sup>12</sup> Syc.<sup>12</sup>
- bland: Syc<sup>12</sup>
- brown; Morg-g, Morg-p., Prot., Syc<sup>12</sup>
- corrosive:  
Bacls-10, Morg-p., Morg-p, Syc.
- dark: Syc<sup>12</sup>
- fishy: Bacls-10
- green: Bacls-10, Morg-p.
- gonorrhoeal: Syc<sup>12</sup>
- odour: ammoniacal: Prot.<sup>2</sup>
- offensive:  
Gaert, Morg-g. Morg-p., Prot., Syc.
- offensive; fishbrine, like: Bacls-10<sup>12</sup>
- profuse: Gaert, Morg-g., Prot, Syc.
- scalding: Prot.
- thick: Prot.
- white: Cand-a.<sup>2</sup>, Syc.
- yellow: Morg-p. Syc.

**Masturbation**, disposition: Dys<sup>12</sup>  
disposition; children, in: Dys<sup>12</sup>

**Menorrhagia:** Bacls-7, Morg-p., Syc.

**Metrorrhagia:** Bacls-7, Morg-p. Syc.

**Menses:**

- absent, amenorrhoea: Syc.
- fibrous blood clots at the end of menses: Prot.
- irregular: Dys.
- painful: Dys., Morg-g, Morg-p., Syc.
- profuse: Bacls-7, Morg-p., Syc.

**Pain:**

Coition, painful:  
(see FEMALE: Dyspareunia)

Ovaries: Morg-p., Syc.  
left: Syc.  
menses, during: Syc.

**Pain;** pulsating: Dys<sup>12</sup>

**Pulsation:** Dys<sup>12</sup>

**Polypi:** uterus, Morg-p., Syc.

**Pruritis** (see FEMALE: itching)

**Rawness:** Bacls-10.

**Swelling**, labia minoris: Bacls-10.<sup>2</sup>

**Tuberculosis:** Syc.

**Tumors; Ovaries; cysts:** Syc<sup>12</sup>  
Uterus: - fibroid, myoma Morg-p<sup>12</sup>  
- polypus Morg-p<sup>12</sup>

**Vulvovaginitis:** (see FEMALE: genitalia)

**Warts:** Syc.

**Washing**, excessive, after: Bacls-10<sup>7</sup>

## RESPIRATION

**Asthma:** Bacls-7, Bacls-10, Morg-g, Morg-p., Mut <sup>12</sup>, Syc.  
 - alternates skin eruption: Mut <sup>12</sup>  
 - dry: Morg-p <sup>12</sup>  
 - congestive: Morg-p.  
 - damp, agg.: Syc.  
 - frost, agg.: Syc.  
 - infantile: Morg-p.  
 - seaside amel.: Syc.

**Deep breath,** desire for: Dys.

**Difficult:** Dys <sup>12</sup> Morg-g <sup>12</sup> Morg-p <sup>12</sup> Prot, Syc.  
 cough, with: Syc.  
     waking, on: Syc.  
 morning: Morg-p <sup>12</sup>  
 night: Dys <sup>12</sup> Morg-p <sup>12</sup>  
 raising; arms agg.: Morg-g <sup>12</sup>

**Halitosis:** (see MOUTH Odour offensive)

**Laryngitis:** Morg-p.

**Rattling:** Syc.  
 apex lungs: Syc.

**Shortness:** Dys. Morg-g, Morg-p. Prot.  
 anxiety, from: Dys.

**Speech:**  
 - difficult: Prot.  
 - relaxed throat from: Prot.  
 - stammers with excitement: Dys.  
 - stammering of the old: Prot.

**Suffocative,** night: Morg-p.

**Tracheitis:** Morg-p, Syc.

**Wheezing:** Syc.  
 - cough, with: Syc.  
 - 2-3 A.M., at: Syc.  
 - waking, on: Syc.

## COUGH

**Cough:** Bacls-10., Dys., Gaert., Morg-g., Morg-p., Prot, Syc.

- dry: Morg-p.
- expectoration, with: Prot, Syc.
- hard: Syc.
- irritable: Syc.
- morning: Bacls-10, Morg-g <sup>12</sup> Morg-p.
- loose: Morg-p.
- lying; agg.: Morg-g <sup>12</sup>  
     bed agg.: Morg-g <sup>12</sup>
- sticky: Morg-p.
- night agg.: Gaert, Morg-g <sup>12</sup> Syc.  
     2 A.M. agg.: Syc.
- spasmodic: Syc.
- sleep, after: Morg-g <sup>12</sup>
- sleep disturbing: Syc <sup>12</sup>
- ticklish: Morg-g, Morg-p.  
     morning: Morg-g.  
     night: Morg-g.
- lying down, on: Morg-g.
- walking, on: Morg-g.
- waking, on: Morg-g <sup>12</sup> Syc.
- wheezing, with: Syc.  
     2-3 A.M.: Syc.
- whooping, like: Dys.

**Pertussis:** Dys.

## LARYNX & TRACHEA

**Inflammation;**

Larynx: Morg-p <sup>12</sup>  
 Trachea: Morg-p <sup>12</sup> Syc <sup>12</sup>

**Laryngismus stridulus:** Syc <sup>12</sup>

**Speech;** stammering: Dys <sup>7 12</sup>  
 excitement: Dys <sup>12</sup>

**Tiredness,** voice: Bacls-7 <sup>7</sup>

## EXPECTORATION

**Bronchial catarrh:** Bacls-7, Dys., Syc.

**Difficult:** Bacls-10 <sup>12</sup>

**Expectoration:**

blood stained: Dys.

difficult to raise: Bacls-7, Bacls-10.

easy: Syc.

morning: Syc <sup>12</sup>

sticky, tough: Bacls-7, Syc.

viscid: Syc <sup>12</sup>



## CHEST

**Angina:** Morg-p., Prot.

**Bronchitis:** Bacls-7, Morg-p, Prot, Syc.  
 damp agg.: Syc.  
 frost agg.: Syc.  
 old people, in: Prot.  
 seaside amel: Syc.  
 winter, in: Morg-p., Syc.

**Catarrh:** Dys <sup>12</sup>

**Constriction, tension, tightness:** Dys <sup>12</sup>  
 Lower part: Dys <sup>12</sup>  
 Lower part; ribs: Dys <sup>12</sup>

**Cancer; Mammae:** Syc <sup>12</sup>

**Chest cold:** Morg-g.

**Childhood chest affections:** Morg-p.

**Congestion:** lungs: Morg-p.

**Discoloration;** redness: Morg-p <sup>12</sup>

**Discomfort,** cardiac area: Morg-g.

**Emphysema:** Morg-p.

### Eruptions:

dermatitis:  
     breast, on: Morg-p.  
 eczema:  
     nipple, left: Morg-p.  
 herpes: Dys <sup>12</sup> Syc <sup>12</sup>  
 itching: Morg-p <sup>12</sup>  
 pustules: Morg-p <sup>12</sup>  
 vesicles: Morg-p <sup>12</sup>

**Eruptions:** Mammae; intertrigo: Morg-p <sup>12</sup> Syc <sup>12</sup>

**Extrasystole:** Dys <sup>12</sup>

**Fibrositis chest wall:** Syc <sup>12</sup>  
 intertrigo, breast: Morg-p., Syc.

**Extra systoles:** Dys.

**Fibrositis:** chest wall: Morg-p.

**Heart:** Bacls-7, Dys., Prot.  
 coronary attacks: Prot.  
 insufficiency, no infarction: Prot  
     sudden: Prot.  
 functional disturbance: Dys.  
 hypertrophy of; Heart: Morg-g <sup>12</sup>  
 muscle, weak: Bacls-7.  
 myocardial enlargement: Morg-g.  
 nervous tension affects: Dys.

### Herpes:

axilla: Morg-p.  
 chest: Syc.

### Inflammation; Bronchial tubes:

Bacls-7 <sup>12</sup> Morg-p <sup>12</sup> Syc <sup>12</sup>  
 Bronchial tubes; chronic: Morg-p <sup>12</sup> Syc <sup>12</sup>  
 Lungs: Syc <sup>12</sup>  
 Myocardium: Morg-p <sup>12</sup>  
 Pleura: Morg-p <sup>12</sup> Syc <sup>12</sup>

**Myocardial enlargement:** Morg-g.

**Myocardial infarction:** Bacls-7 <sup>12</sup>

**Neuralgia,** interstitial: Syc.

**Oppression:** Morg-g <sup>12</sup>  
 raising arms agg.: Morg-g <sup>12</sup>

**Pain;** General: Bacls-7 <sup>12</sup> Dys <sup>12</sup> Morg-g <sup>12</sup> Syc <sup>12</sup>  
 exertion: Dys <sup>12</sup>  
 herpes zoster, after: Morg-p <sup>12</sup>  
 Pleura: Dys <sup>12</sup> Morg-p <sup>12</sup> Syc <sup>12</sup>  
 Ribs; between, intercostal: Syc <sup>12</sup>  
 Lungs; apex; right: Syc <sup>12</sup>

**Pain;** neuralgic; Ribs, between, intercostal:  
 Morg-g <sup>12</sup> Syc <sup>12</sup>

**Palpitations:** Dys., Morg-g. Morg-p <sup>12</sup> Syc <sup>12</sup>  
 anticipation, from: Dys.  
 anxiety, from: Dys.  
 digestion, during: Morg-g <sup>12</sup>  
 erection amel.: Morg-g.  
 eructations; amel.: Morg-g <sup>12</sup>  
 excitement, from: Dys.  
 flatulence; amel.: Morg-g <sup>12</sup>  
 motion; amel.: Morg-g <sup>12</sup>  
 night at: Morg-g.  
 awakens: Morg-g.  
 tension, nervous from: Dys.  
 thyrotoxicosis, in: Dys <sup>12</sup>

**CHEST continued**

**Paniculitis**, chest wall: Bacls-10 <sup>12</sup>

**Perspiration**; Axilla: Bacls-10 <sup>12</sup>

**Pleurisy**: Syc.

**Pleurodyna**: Dys. Morg-g., Morg-p., Syc.

**Pneumonia**: Morg-p.

broncho: Morg-p.

lobar: Morg-p

never well since: Morg-p.

**Restlessness in**, heart: Morg-p <sup>12</sup>

**Rheumatic fever**, history of: Morg-p.

**Swelling**; Axilla; Glands: Syc <sup>12</sup>

**Tachycardia**: Dys.

**Tightness**: Morg-g., Prot.

chest to left arm: Morg-g.

lower ribs: Dys.

**Tumors**; Lipoma, lower ribs: Bacls-10 <sup>12</sup>

**Warts**: nipples: Morg-g,

## BACK

**Ankylosis:** Bacls-7.

**Backache:** Bacls-7, Dys., Prot, Syc.

coccyx: Bacls-10.

ileo-sacral joints: Syc.

joints: Syc.

sitting, while; amel.: mut<sup>12</sup>

standing; while: mut<sup>12</sup>

lumbago: mut<sup>12</sup>

lumbago; sitting; amel.: mut<sup>12</sup>

lumbago; standing: mut<sup>12</sup>

lumbago; standing; erect, impossible: mut<sup>12</sup>

lumbo-sacral region: Syc.

**Cracking:** joints: *Bacls-7.*<sup>2</sup>

**Cracks, neck - like a nut:** Bacls-7.

**Cyst:**

neck, fatty (lipoma): Bacls-10.

**Disc prolapse:** Prot.

**Discolouration:** cervical region: Morg-p<sup>12</sup>

**Eruptions:**

**neck, on:** Dys<sup>12</sup> Gaert, Morg-p.

**acne:** Morg-p<sup>12</sup>

**boils:**

neck on: Morg-p.

**carbuncles:**

neck on: Coccal-co., Morg-p.

**erythema:** cervical region: Morg-p<sup>12</sup>

**herpes;** Cervical region: Syc<sup>12</sup>

**itching:** Morg-p<sup>12</sup>

**Fibrositis:**

Bacls-7, Dys. Gaert., Morg-g., Morg-p., Prot., Syc.

- back: Syc.

- neck: Bacls-7, Dys. Gaert, Morg-g., Morg-p, Prot.

**Inflammation;** cord; Cervical: Syc<sup>12</sup>

Vertebrae: Dys<sup>12</sup> Morg-p<sup>12</sup>

**Lumbar crick:** Dys.

**Numbness,** insensibility; Fingers: Syc<sup>12</sup>

**Pain,**

General; rheumatic; acute: Dys<sup>12</sup> Syc<sup>12</sup>

Aching

kidney region: Prot.

lumbago: Morg-p.

**Pain general**

morning; rising; on: Syc<sup>12</sup>

night: Morg-p<sup>12</sup> Syc<sup>12</sup>

motion; on: Morg-p<sup>12</sup> Syc<sup>12</sup>

motion; amel.: Morg-p<sup>12</sup> Syc<sup>12</sup>

move; beginning to: Syc<sup>12</sup>

motion; beginning of, on, after lying down or sitting:

Bacls-7<sup>12</sup>

rising; sitting, from: Syc<sup>12</sup>

warmth, external; agg.: Syc<sup>12</sup>

warmth, external; amel.: Bacls-7<sup>12</sup> Syc<sup>12</sup>

weather; damp, wet, in: Bacls-7<sup>12</sup> Syc<sup>12</sup>

Dorsal region; Scapulae; left: Syc<sup>12</sup>

Lumbar region, lumbago: Bacls-7<sup>12</sup> Dys. Morg-g<sup>12</sup> Syc<sup>12</sup>

Lumbar region, lumbago; cold; taking, from: Bacls-7<sup>12</sup>

Lumbar region, lumbago; rheumatic: Morg-g<sup>12</sup> Morg-p<sup>12</sup>

Syc<sup>12</sup>

Lumbosacral region: Syc<sup>12</sup>

Sacro-iliac junction: Morg-p<sup>12</sup> Syc<sup>12</sup>

Sore, bruised, beaten; Coccyx: Bacls-10<sup>12</sup>

**Sciatica:** Dys., Gaert, Prot.

**Sensitive;** coccyx: Bacls-10<sup>12</sup>

**Spondylitis:** Bacls-7, Dys.

**Spondylo arthritis:** Bacls-7.

**Stiffness:**

**cervical:** Bacls-7, Syc.

nut, neck cracks like a: Bacls-7.

**hip:** Syc<sup>12</sup>

**ankle:** Syc<sup>12</sup>

**Swelling;** Fingers; nodular swellings: Syc<sup>12</sup>

Fingers; joints; second and third, between: Syc<sup>12</sup>

Ankle: Syc<sup>12</sup>

Foot; night: Syc<sup>12</sup>

**Tumors;** cyst: Syc<sup>12</sup>

cervical region; fatty: Bacls-10<sup>12</sup> Syc<sup>12</sup>

## EXTREMITIES

### Anchylosis;

shoulders: Bacls-7<sup>12</sup>  
 elbow: Bacls-7<sup>12</sup>  
 wrist: Bacls-7<sup>12</sup>  
 hips, arthritis, with: Bacls-7<sup>12</sup>  
 knee: Bacls-7<sup>12</sup>  
 ankle: Bacls-7<sup>12</sup>

**Blood** vessels burst in fingers: Bacls-7<sup>12</sup>

**Blanching:** fingers of: Dys

**Blood vessels:** burst: fingers, in: Bacls-7.

**Bone,** as if walking on: Syc<sup>12</sup>

### Bursae: Syc<sup>12</sup>

Patella; acute: Syc<sup>12</sup>

**Caries,** necrosis of bone: Dys<sup>12</sup> Morg-p<sup>12</sup>

**Chilblains:** Gaert., Morg-p, Prot., Syc.

heat agg.: Syc.  
 feet, on: Morg-p., Syc.  
 hands, on: Gaert.  
 winter, in: Gaert.

**Chorea:** Dys.

**Circulation,** sluggish, congested: Morg-p.

**Clamminess,** hand: Prot.

**Clubbing:** fingers, ends of: Dys

**Coldness:** fingers: Dys., Morg-p<sup>12</sup> Prot.

**Contractions:** fingers: Prot.

extension impossible: Prot.

### Cracks:

fingers: Bacls-7, Morg-p.  
 finger tips: Bacls-7, Dys. Syc.  
 hands: Bacls-7, Dys. Morg-p<sup>12</sup>  
 heels: Morg-p, Syc.  
 joints, bends of: Morg-p<sup>12</sup>  
 knuckles: Bacls-7, Morg-p.  
 palms: Bacls-7.  
 thumbs: Morg-p.

**Cracking of joints:** Bacls-7, Morg-p<sup>12</sup>

**Cramps:** Bacls-7., Prot.

legs: Bacls-7, Prot.  
 night agg.: Bacls-7.  
 muscles: Prot.

### Claudication:

(see EXTREMITIES Intermittent, claudication)

**Distortion,** deformation, fingers of: Syc.  
 toe nails of: Morg-g<sup>12</sup>

**Discolouration:** white patches: Morg-p.

Wrist; redness: Syc<sup>12</sup>  
 Hand; palm; redness: Syc<sup>12</sup>  
 Hand; redness: Dys<sup>12</sup>  
 Hand; blueness: Mut<sup>12</sup>  
 Finger-joints: Syc<sup>12</sup>  
 Foot; blueness: Mut.<sup>12</sup>

### Dryness;

Elbows: Morg-p<sup>12</sup>  
 Wrist: Morg-p<sup>12</sup>  
 Hands; back of: Morg-p<sup>12</sup>  
 Hands; between fingers: Morg-p<sup>12</sup>  
 Hands; palm: Dys<sup>12</sup> Morg-p<sup>12</sup>

### Eruptions:

Upper Limbs; urticaria: Morg-g<sup>12</sup>  
 Upper Limbs; urticaria; wheels like, large: Morg-g<sup>12</sup>  
 Elbow; psoriasis, patches: Morg-g<sup>12</sup>  
 Forearm; urticaria: Morg-g<sup>12</sup>  
 Wrist; eczema: Morg-g<sup>12</sup>  
 Wrist; eczema; contact allergy; metal: Morg-g<sup>12</sup>  
 Hands: Dys, Syc  
 Hand; back of hand; pustules: Syc<sup>12</sup>  
 Hand; palm: Syc<sup>12</sup>  
 Hand; palm; itching: Syc<sup>12</sup>  
 Hand; palm; vesicles: Morg-g<sup>12</sup> Syc<sup>12</sup>  
 Hand; palm; vesicles; itching: Syc<sup>12</sup>  
     fingers, between: Dys<sup>12</sup>  
     fingers, between; blisters: Dys<sup>12</sup>  
 Joints; bends of: Dys<sup>12</sup>  
     eczema: Dys<sup>12</sup>  
 Thigh; between; erythema; circinate, both legs,  
     inner side: Morg-p<sup>12</sup>  
 Thigh; herpes; circinate, on each thigh:  
     Morg-co<sup>7</sup> Syc<sup>12</sup>  
 Thigh; eczema; metal dermatitis: Morg-g<sup>12</sup>  
 Leg; erythema nodosum: Morg-p<sup>12</sup>

**Eruptions cont.**

Leg; erythrocyanosis puellorum: Morg-p <sup>12</sup>  
 Leg; herpes; circinate, on each leg: Syc <sup>12</sup>  
 Knee; psoriasis: Morg-g <sup>12</sup>  
 Leg; varicosis, with: Morg-p <sup>12</sup>  
 Leg; tibia; circinate: Morg co <sup>7</sup> Syc <sup>12</sup>  
 Leg; psoriasis: Morg-g <sup>12</sup>  
 Ankle; eczema; varicose: Morg-p <sup>12</sup> Syc <sup>12</sup>  
     - soles, on: Dys.  
     - thighs, on: Morg-p.  
 Ankle; psoriasis: Morg-g <sup>12</sup>  
 Foot; back of: Morg-p <sup>12</sup>  
 Foot; heel; inner side: Morg-p <sup>12</sup>  
 Foot; sole of; herpes: Morg-g <sup>12</sup>  
 Foot; sole of; vesicles: Morg-g <sup>12</sup>

**asthma**, alternating with: Mutabile.

**athlete's foot**: Morg-p.

**blisters**: Dys., Syc.  
     soles, on: Gaert.

**boils**: Gaert, Prot.  
     arms, on: Gaert.  
     axilla, on: Gaert.  
     legs, on: Gaert.

**circinate**:  
     Bacls-10, Gaert., Morg-co <sup>7</sup>  
     Morg-g <sup>12</sup> Morg-p., Syc.  
     arms, on: Syc.  
     shins, on: Syc.  
     sternum, on: Gaert.  
     thighs, on: Morg-g <sup>12</sup> Syc.

**dermatitis**:  
     Bacls-10., Dys., Morg-p., Prot,  
     Syc.  
     ankles on: Morg-p.  
     flexures: Bacls-10.  
     fingers between: Dys.  
     foot:  
         dorsum on: Morg-p.  
         heel, inner side, on: Morg-p.  
     hands, on: Prot., Syc.  
         detergent agg.: Syc.  
         flour agg.: Syc.  
     joints: Bacls-10 <sup>12</sup>  
     wrists: Syc.

**eczema**:  
     ankles, of: Syc.  
     arms to elbow: Syc.  
     hands, Back of: Syc.  
     hand; palm; circinate: Bacls-7 <sup>12</sup>  
     varicose: Morg-p., Syc.

**ringworm**: Bacls-10 <sup>12</sup>

**urticaria**: Dys., Gaert, Morg-g, Prot.  
     arms: Morg-g.

**Erythema nodosum**: legs on: Morg-p.

**Erythema multiforme**: Morg-co. <sup>7</sup>

**Felon**: Syc <sup>12</sup>  
 Felon; panaritium: Bacls-7 <sup>12</sup> Bacls-10 <sup>12</sup> Syc <sup>12</sup>

**Fibrositis**:  
     shoulder: Bacls-7, Dys., Gaert., Morg-p.

**Fissure**:  
     fingers, between: Morg-p.  
     hands: Morg-p.

**Flat foot**: Bacls7, Gaert, Morg-p, Syc.

**Ganglion**: Bacls-7.  
     hand: Bacls-7.

**Gout**: Bacls-7.

**Hardness**; skin of soles: Morg-p <sup>12</sup>

**Heat**:  
     Elbow: Morg-p <sup>12</sup>  
     Forearm: Morg-p <sup>12</sup>  
     Hand: Morg-p <sup>12</sup>  
     Hand; night: Morg-p <sup>12</sup>  
     Hand; back of: Morg-p <sup>12</sup>  
     Feet, at night: Morg-g., Morg-p.  
     Foot, right warmer than left: Morg-g.  
     Foot; night: Morg-g <sup>12</sup>

**Hip-joint** disease: Morg-g <sup>12</sup>

**Hyperkeratosis**: soles on: Morg-p.

**Inflammation**, joints (inflammatory arthritides):  
 Bacls-7, Bacls-10, Dys , Gaert., Morg-g., Morg-p, Syc.

ankles: Dys.

fingers: Syc.  
     - thumb: Morg-p <sup>12</sup>

fingertips: Bacls-7.

**Inflammation cont.**

hand; metacarpophalangeal: Morg-p <sup>12</sup>

hips, left side: Bacls-7.

inflammatory bowel disease, in conjunction with:  
Gaert.<sup>7</sup>

knee: Bacls-10, Morg-g, Morg-p <sup>12</sup>  
left: Bacls-10.

Veins: Morg-p <sup>12</sup>

Wrist: Morg-g <sup>12</sup>

**Inflammation;** Joints; deforming: Morg-p <sup>12</sup>

**Pain :** Foot; bone: Dys <sup>12</sup>  
periosteum: Dys <sup>12</sup>  
Sacro-iliac joints: Morg-p.  
Spine: Morg-p.  
Wrists: Syc.

**Intermittent, claudication:** Prot.

**Itching;** Hand; back of: Morg-p <sup>12</sup>  
Hand; Palm: Morg-p <sup>12</sup>  
Fingers; between fingers: Morg-p <sup>12</sup>

**Lameness:** fingers: Prot.

**Myositis:** Syc.

**Nails:**  
brittle: Morg-p., Syc.  
toes: Syc.  
painful, toe: Syc.  
ribbed: Dys.

**Nodules, rheumatic:** Bacls-7, Morg-p., Syc.  
fingers: Morg-p., Mut.<sup>12</sup>, Syc.  
metacarpal 2 & 3: Syc.

**Numbness:** Morg-p., Prot., Syc.  
arms: Morg-p.  
feet: Morg-p., Prot.  
fingers: Prot, Syc.  
hand: dead sensation, morning, in: Prot.  
night at: Prot,  
Legs: Morg-p., Prot.

**Osteo-arthritis:** Bacls- 7, Dys., Prot.  
knee: Bacls-7, Morg-p.  
peri-arthritis, Knee: Bacls- 7, Morg-p.

**Osteoporosis,** thumb: Bacls-7 <sup>12</sup> Morg-p <sup>12</sup>

**Pain:**  
Joints; gouty: Bacls-7 <sup>12</sup>  
Shoulder: Syc <sup>12</sup>  
Shoulder; rheumatic: Syc <sup>12</sup>  
Upper arm; night: Syc <sup>12</sup>  
Upper arm; rheumatic: Syc <sup>12</sup>  
Elbow: Bacls-7 <sup>12</sup> Syc <sup>12</sup>  
Elbow; rheumatic: Bacls-7 <sup>12</sup> Syc <sup>12</sup>  
Wrist: Bacls-7 <sup>12</sup> Syc <sup>12</sup>  
Wrist; rheumatic: Bacls-7 <sup>12</sup> Syc <sup>12</sup>  
Hand: Syc <sup>12</sup>  
Hand; rheumatic: Syc <sup>12</sup>  
Hand; joints of: Syc <sup>12</sup>  
Hand; joints of; metacarpophalangeal joints of middle  
finger: Syc <sup>12</sup>  
Fingers; warm water, putting hands in; amel.: Syc <sup>12</sup>  
Fingers; weather, dry, amel.: Syc <sup>12</sup>  
sciatica: Syc <sup>12</sup>  
Hip; rheumatic; left: Bacls-7 <sup>12</sup>  
Knee: Bacls-7 <sup>12</sup> Syc <sup>12</sup>  
Knee; rheumatic: Bacls-7 <sup>12</sup> Syc <sup>12</sup>  
Leg: Syc <sup>12</sup>  
Leg; night: Syc <sup>12</sup>  
Ankle: Bacls-7 <sup>12</sup> Syc <sup>12</sup>  
Ankle; rheumatic: Bacls-7 <sup>12</sup> Syc <sup>12</sup>  
Foot: Syc <sup>12</sup>  
Foot; night: Syc <sup>12</sup>  
Foot; rheumatic: Syc <sup>12</sup>  
Foot; walking; while: Syc <sup>12</sup>  
Foot; sole: Syc <sup>12</sup>  
Toes; nails: Syc <sup>12</sup>  
Toes; first; joints: Bacls-7 <sup>12</sup> Syc <sup>12</sup>  
Toes; first; joints; gouty: Bacls-7 <sup>12</sup> Syc <sup>12</sup>  
Wrist; rheumatic: Bacls-7 <sup>12</sup>

**PAIN**

**aching:**  
Arms: Morg-p.  
night: Syc. co.  
Back: Bacls-7, Dys., Gaert, Prot, Syc.  
  
Rheumatic ache: Syc.  
night: Morg-g.  
great toe: Syc.  
  
**burning:** Morg-p, Prot.  
night at: Prot.

**Paronchia:** Bacls-7, Syc.

**Periositis:** Dys., Morg-p.

**Perspiration:**

foot: Morg-g., Morg-p.  
 offensive: Morg-p.  
 foot; sole: Morg-g <sup>12</sup> Morg-p <sup>12</sup>  
 hand: wet, night at: Morg-p.

**Phlebitis:** Morg-p., Prot.

**Raynaud's disease:** Prot.

**Restlessness:**

feet: Gaert., Morg-p, Syc.  
 bed, in: Syc.  
 night at: Syc.  
 hands: Gaert.

**Restlessness;** Lower Limbs; night: Syc <sup>12</sup>

**Rheumatoid arthritis:**

Bacls- 7, Bacls-10, Prot., Morg-g.  
  
 ankles: Bacls-7.  
 elbows: Bacls-7. Morg-g.  
     right: Morg-g.  
 knee: Bacls-7., Bacls-10., Syc.  
     left: Bacls-10.  
 shoulders: Bacls-7.  
 wrists: Bacls-7, Morg-g.

**Rheumatism:**

arms, rheumatic ache: Syc.  
     night: Morg-g.  
 feet: Gaert,  
 fibrous tissues: Bacls-7, Morg-g.  
 hands: Gaert, Morg-p.  
 muscles: Syc.  
 neck: Dys., Morg-p.  
 shoulders: Bacls-7, Dys, Gaert, Morg-p, Syc.  
     night agg.: Gaert.  
     right: Morg-g.  
 thigh: Bacls-10.  
 thumb: Bacls-7, Morg-p.  
 wrists: Bacls-7., Morg-g.  
     right: Morg-g.

**Sensation:**

cobble stones, walking on: Syc.  
 feet frozen, as if: Prot.

**Sensitivity;** warmth, for: Morg-p <sup>12</sup>

**Sciatica:** Dys., Gaert, Prot.

**Stiffness:** Bacls-7, Morg-p., Syc.

Wrist: Bacls-7 <sup>12</sup>  
 fingers Stiff, in morning: Bacls-7 <sup>12</sup> Morg-p.  
 hands stiff, grip poor: Morg-p.  
 back: Syc.  
 hips: Syc..  
 knee: Morg-p. Morg-g <sup>12</sup>  
 legs: Bacls-7, Morg-p.  
 Ankle: Bacls-7 <sup>12</sup> Syc.  
 Joints: Bacls-7 <sup>12</sup> Morg-p <sup>12</sup>

**Swelling:** Bacls-7., Morg-p., Syc.

Upper Limbs; edematous: Morg-p <sup>12</sup>  
 Wrist; rheumatic: Morg-p <sup>12</sup>  
 Hands: Morg-p.  
     Thumb: Morg-p.  
 Hand; metacarpal joints, over, nodular: Morg-p <sup>12</sup>  
 Fingers: Bacls-7.  
 Fingers; nodular swellings: Morg-p <sup>12</sup>  
 Joints: Morg-p., Bacls-7.  
  
 Knee: Morg-p.  
 Feet: Syc.

**Joints:** Dys <sup>12</sup> Morg-g. Morg-p.  
 – night, at: Syc:

Fingers; joints: Morg-p <sup>12</sup>  
 Fingers; second: Morg-p <sup>12</sup>  
 Thumb: Morg-g <sup>12</sup>  
 Knee: Morg-p <sup>12</sup>  
 Foot; joints: Morg-p <sup>12</sup>  
 Toes; joints of: Morg-p <sup>12</sup>

**Taenia** heels: Syc.

**Tightness,** sensation of, shoulder in: Bacls-7. <sup>7</sup>

**Tingling,** prickling, asleep; Upper Limbs: Morg-p <sup>12</sup> Syc  
 prickling, asleep; Hand: Syc <sup>12</sup>  
 prickling, asleep; Lower Limbs: Morg-p <sup>12</sup>  
 prickling, asleep; Leg: Morg-p <sup>12</sup>

**Ulcer,** varicose: Morg-p.

**Varicose veins:** Morg-p.

**Weakness;**

Hand; grasping objects, on: Morg-p <sup>12</sup>

Lower Limbs: Morg-p <sup>12</sup>

Leg: Morg-p <sup>12</sup>

Foot; sole: Morg-p <sup>12</sup>

**Warts; Hand: Bacls-10 <sup>12</sup> Dys <sup>12</sup> Morg-g <sup>12</sup> Syc <sup>12</sup>**

Hand; flat: Bacls-10 <sup>12</sup> Dys <sup>12</sup> Syc <sup>12</sup>

Hand; large: Syc <sup>12</sup>

Hand; multiple: Bacls-10 <sup>12</sup>

Hand; pointed: Bacls-10 <sup>12</sup>

Hand; rough: Syc <sup>12</sup>

Foot: Dys Syc <sup>12</sup>

Foot; sole of: Syc <sup>12</sup>



## SLEEP

**Alone**, will not sleep: Gaert, Syc.

**Drowsiness:** Morg-g.  
food, after: Morg-g.

**Falling Asleep;** perspiration; during: Dys Mut. <sup>12</sup> Syc <sup>12</sup>

**Insomnia:** Dys., Morg-g., Morg-p, Syc.

**Light:** Bacls-7 <sup>12</sup> Morg- p <sup>12</sup>

**Nightmares:** Syc.

**Night terrors:** Morg-g, Syc.

**Restless:** Dys <sup>12</sup> Morg- p <sup>12</sup> Mut. <sup>12</sup> Syc <sup>12</sup>

**Shouting:** sleep, in: Morg-g.

**Sleeplessness;** midnight; after; 3 am, until: Syc <sup>12</sup>  
- excitement, from: Dys <sup>12</sup>

**Waking;** midnight; after; 2 am.: Bacls-7 <sup>12</sup> Dys <sup>12</sup> Syc <sup>12</sup>

MN after; 2 am.; 3 am., until: Bacls-7 <sup>12</sup> Dys<sup>12</sup>

midnight; after; two am.; cough, from: Syc <sup>12</sup>

midnight; after; three am.: Dys <sup>12</sup> Syc <sup>12</sup>  
- stomach complaints, with: Dys <sup>12</sup>

midnight; after; three am.; cough, from: Syc <sup>12</sup>

## DREAMS

**Dreams:**

burglars: Dys.

dead people: Dys., Syc.

erotic/sexual: (Bacls-10 <sup>7</sup>)

falling from height: Dys.

fire: Dys.

## FEVERS

**Convulsions**, febrile: Prot.

**Fever**, sensation as if febrile: Dys.<sup>7</sup>

**Rheumatic**: Morg-p.<sup>12</sup>

## PERSPIRATION

**Colliquative**: BacIs-7<sup>12</sup>

**Perspiration**:

BacIs-7., BacIs-10., Dys., Gaert., Prot., Syc.,

anxiety from: Dys.

excessive: BacIs-7, Syc.

night agg.: Dys., Gaert, Syc.

**Night**: Dys.<sup>12</sup> mut<sup>12</sup>

**Profuse**; sleep; during: Dys<sup>12</sup> mut<sup>12</sup> Syc<sup>12</sup>

**Single parts**:

axilla: BacIs-10, Dys., Prot.

head: Dys., Syc.

scalp during sleep: Dys.

general except the head: Dys<sup>12</sup>

## SKIN

**Angio-neurotic oedema:** Bacls-7.

### Boils:

Coccal-co., Gaert, Prot., Morg-g., Morg-p.,  
Staphyroc.,

**Bruising** easily: Morg-p.

**Callous:** Dys., Morg-p.

**Carbuncle:** Coccal-co., Morg-p.

**Cracks:** Bacls-7, Bacls-10, Dys, Prot, Morg-g<sup>12</sup> Morg-p,  
Syc.

(see FACE, cracks)

(see EXTREMITIES, cracks)

(see GENITALIA, cracks)

**Cyst:** sebaceous: Syc.

### Discolouration:

- bluish; spots: Morg-p<sup>12</sup>

- yellow, jaundice, icterus, etc.: Morg-p<sup>12</sup> Morg-g

- pale: Dys<sup>12</sup>

- pigmented: Prot,

- sallow: Syc.

**Ecchymosis:** (see SKIN, bruising)

### Eruptions:

acne (see FACE, eruptions: acne)

allergic: Morg-g<sup>12</sup>

athlete's foot:

(see EXTR: Eruptions: athlete's foot)

blisters: Dys., Syc.

chicken-pox, like: Syc.

chilblains: (see EXTREMITIES)

Gaert., Morg-p, Prot., Syc.

circinate: Bacls-10, Gaert., Morg-p., Syc. Morg-co.<sup>7</sup>

crusty: Morg-g<sup>12</sup>

dermatitis: Bacls-10, Dys, Morg-p, Prot, Syc.

detergent agg.: Syc.

flour agg.: Syc.

flexures: Bacls-10.

discharging, moist: Morg-g<sup>12</sup>

eczema: Mut.<sup>12</sup> Morg-p, Staphyroc.<sup>7</sup> Syc.

itching with: Syc.

pustules, heat with: Syc.

infantile: Morg-p., Syc.

### Eruptions cont.

herpetic: Dys, Gaert, Morg-g, Morg-p, Prot.

herpetic; zoster, zona: Morg-g<sup>12</sup>

impetigo: Dys<sup>12</sup> staphyroc.<sup>7</sup> Syc<sup>12</sup>

malignant: Syc.

right cheek: Syc.

papulo-pustular: Morg-g, Morg-p.,

cracked: Morg-g.

crusty: Morg-g.

itching: Morg-p.

scaly: Morg-g.

weepy: Morg-g.

psoriasis: Dys., Morg-g.

pustules: Coccal-co<sup>7</sup> Morg-g<sup>12</sup>

scaly: Dys, Morg-p.

urticaria: Dys., Gaert, Morg-g, Prot.

sudden; coming and going: Dys<sup>12</sup>

vesicular: Morg-g<sup>12</sup>

wheals, large: Morg-g.

**Erythema:** Morg-p., Prot., Syc.

**Epithelioma:** Morg-g.

**Infections:** Staphylococcal/MRSA: Syc<sup>7</sup>

**Intertrigo:** Morg-p, Syc<sup>12</sup>

**Itching;** warm, becoming: Morg-p<sup>12</sup>

warm, becoming; bed, in: Morg-p<sup>12</sup>

warmth amel.: Morg-p<sup>12</sup>

wool agg.: Morg-p<sup>12</sup>

**Jaundice:** Morg-g., Morg-p.

**Oily:** Syc.

**Prickly heat:** Morg-p.

**Ringworm:** Bacls-10.

appearance of: Morg-co.<sup>7</sup>

**Scleroderma:** Syc<sup>12</sup>

**Scurfy patches:** Dys.

### Sensation:

heat: Prot.

prickling: Prot.

**Sensitiveness;** sun, to: Morg-p<sup>12</sup>

**Shingles:** Morg-g.

**Ulcers; varicose:** Morg-p <sup>12</sup>

**Warts:** Bacls-10, Dys., Morg-g, Morg-p., Syc.

bleeding: Syc <sup>12</sup>

flat: Bacls-10, Dys., Morg-g, Morg-p., Syc.

jagged: Morg-g, Syc.

large: Morg-g, Syc.

muco-cutaneous surface: Syc.

pointed: Bacls-10.

rugged: Syc.

## GENERALITIES

### Morning:

03h-06h: Dys.

### Afternoon:

16h - 18h: Morg-g.

**Abscesses, suppurations:** Morg-p <sup>12</sup>

**Abuse, medicines, of:**

Aloe vera (Bacls-7.<sup>7</sup>Dys.<sup>7</sup>)

Ecchinacea: (Syc.<sup>7</sup>)

Hormonal implants: (Dys <sup>7</sup>)

Laxatives: (Morg-p <sup>7</sup>) ...

Paracetamol: (Dys.<sup>7</sup>)

**Acidosis:** Gaert, Syc.

### Aetiology:

antibiotics, after: Bacls-7.,Gaert., Morg-g., Prot.,  
Syc.

gastroenteritis, after: Bach-p., Bacls-7., Dys.,  
Gaert., Mutabile, Prot.

e-coli: Bach-p., E-coli, mutabile

salmonella: Gaert.

shigella: Dys.

immunisation, after (Morg-p <sup>7</sup>) ...

MRSA infection: (Syc.<sup>7</sup>)

pneumonia, never well since: Morg-p.

rheumatic fever, history of: Morg-p.

**Air;** seashore air; amel.: Syc <sup>12</sup>

**Allergy:** Dys <sup>12</sup> Morg-g <sup>12</sup> Syc <sup>12</sup>

- food, for: Syc

- metal dermatitis: Morg-g <sup>12</sup>

**Alternating states:** mut <sup>12</sup>

### Alternating symptoms

metastasis: Mutabile.

**Anaemia:** Dys , Syc.

**Antibiotics, after:** Bacls-7 <sup>7</sup>, Gaert.<sup>7</sup>, Syc. <sup>7</sup>

### Arthritis, inflammatory:

Dys, Morg-g, Morg-p, Syc.

### Blood pressure:

high: Morg-p.

low: Bacls-7.

**Blood;** circulation of; sluggish: Morg-p <sup>12</sup>

### Blood vessels:

burst: Bacls-7.

fingers, in: Bacls-7.

**Cachexia:** (see GENERALS, Emaciation)

**Cancerous affections;** pre-cancerous: Syc <sup>12</sup>

**Cancer:** Gaert, Faec.<sup>7</sup>, Morg-g <sup>12</sup> Morg-p.

**Change;** symptoms, constant change of: mut <sup>12</sup>

**Chlorosis** (see Anaemia)

**Chorea:** Dys <sup>12</sup>

**Circulation,** sluggish, congested: Morg-p.

**Clothing;** intolerance of; woolen, of: Morg-p <sup>12</sup>

**Cold;** agg.: Syc <sup>12</sup>

**Cold** sensitive to: Bacls-7, Dys., Syc.

tendency to take: Dys <sup>12</sup>

### Complexion;

dark, brunette: Dys. <sup>12</sup> Morg-p. <sup>12</sup> Syc <sup>12</sup>

fair, blonde, light: Dys <sup>12</sup>

fair, blonde, light; eyelashes dark: Dys <sup>12</sup>

### Complementary to:

**Animal remedies:** Bacls-10 <sup>7</sup> Morg-g <sup>7</sup>

**Arsenicum album:** Dys. <sup>7</sup>

**Arsenicum iodatum:** Bacls-7<sup>7</sup>

**Calc-silicata:** Syc-co. <sup>7</sup>

**Carbons:** Morg-co <sup>7</sup>, Morgan-p<sup>7</sup>

**Isopathic house dust mite:** Syc-co. <sup>7</sup>

**Lycopodium:** Morg-g <sup>7</sup>

**Raphanus:** Morg-g. <sup>7</sup>

**Convalescence,** ailments during; pneumonia, after; never well since pneumonia: Morg-p <sup>12</sup>

### Convulsions:

Prot, Syc.

children, in: Prot

epileptic: Prot.

febrile: Prot.

seizures: Syc.

**Covers;** kicks off: Dys <sup>12</sup>

**Crohns Disease:** (Gaert. <sup>7</sup>) ...

**Diabetes:** Morg-p.

**Emaciation:** Bacls-7, Gaert. Morg-p.  
infantile: Gaert.

**Faintness:** Bacls-7.  
eating, on: (Dys.<sup>7</sup>)  
exertion from: Bacls-7.  
sudden: Bacls-7.  
standing, long, after: Bacls-7.

**Fatigue,** mental and physical:  
*Bacls-7. Dys., Prot., Syc.*  
- coldness, with: Bacls-7. <sup>7</sup>  
- exertion mental & physical agg.: Bacls-7.  
- remittent: Bacls-7.<sup>7</sup>

**Food and Drink:**

beans, green:  
aversion: Prot.

bread:  
aversion: Bacls- 10, Gaert, Syc.

breakfast;:  
aversion: Bacls-10, Syc.

butter:  
aversion: Gaert, Morg-g <sup>12</sup> Prot.  
desire: Morg-p., Prot., Syc.

cheese:  
aversion: Syc.  
desire: Dys. Gaert., Syc.

chocolates:  
desire: Bacls-10.

cream:  
aversion: Syc.

eggs:  
agg: Bacls-10, Morg-p. Prot, Syc.  
aversion: Bacls-10, Morg-g, Morg-p., Prot.,  
Syc.  
boiled: aversion: Prot.  
desire: Gaert., Morg-g, Morg-p, Prot.,

fats:  
agg: Bacls-10, Dys. Gaert, Morg-p., Syc.  
infants, in: Gaert.  
aversion: Bacls-7, Morg-g, Morg-p, Prot,  
Syc.  
desire: Dys. Morg-g., Morg-p., Prot., Syc.

fish:  
aversion: Gaert.  
fried fish: desire: Bacls-10.

hot food, prefers: Morg-g.

meat, butcher's:  
aversion: Gaert., Morg-g, Prot., Syc.  
desire: Morg-g.

milk:  
agg. (intolerance): Dys.<sup>7</sup>  
aversion: Syc.  
desires: Dys., Gaert., Syc.

milk pudding:  
aversion: Syc.  
desires: Gaert.

oatmeal: desire: Gaert.

onion:  
agg: Syc.  
aversion: Prot.

oranges:  
agg.Syc.

pork:  
aversion: Prot.

potato:  
aversion: Syc.

salads:  
aversion: Prot.

salt:  
aversion: Syc.  
desire: Dys., Morg-g., Prot., Syc.

sugar:  
aversion: Syc.  
desire: Gaert.

sweets:  
agg.: Dys, Gaert.  
desire: Bacls-10, Dys. Gaert, Morg-g,  
Morg-p., Prot, Syc.

FOOD & DRINK continued

tea:

aversion: Bacls-10, Syc.

tomato:

aversion: Bacls-10, Syc.

vegetables:

aversion: Syc.

vinegar:

aversion: Syc.

**GENERALITIES continued**

**Gastro-enteritis, after:** Dys.<sup>7</sup>, Gaert.<sup>7</sup>

**Gout:** Bacls-7.

**Heat, flushes of:** Dys., Morg-p.  
excitement from: Dys.  
menopause at: Morg-p.

**Hypertension:** (see GENERALS, blood pressure, high)

**Inflammation:**

lymph glands: adenitis: Morg-p.  
muscles: myositis: Syc.  
periosteum: Dys., Morg-p.  
veins: Morg-p., Prot.

**Lean people:** Dys <sup>12</sup>

**Malignancy:** (see GENERALS: Cancer)

**Mycosis:** Syc <sup>12</sup>

**Obesity:** Syc.

**Old;** age, premature: Bacls-7 <sup>12</sup>

**Osteoporosis:** Bacls-7, Dys., Morg-p.

**Partial responses** to remedies, after:

arsenicum iodatum: Bacls-7 <sup>7</sup>  
calcareo silicata: Syc <sup>7</sup>  
china off.: Dys.<sup>7</sup>  
isopathic house dust mite: Syc. <sup>7</sup>  
medorrhinum: Mut.<sup>7</sup>  
moschus: Bacls-10<sup>7</sup>  
nux vomica: Prot <sup>7</sup>  
phosphorus: Gaert.<sup>2</sup>

**Peripheral nervous system,** actions of: Prot.

**Pneumonia;** never well since: Morg-p <sup>12</sup>

**Pregnancy, after:** (Bacls-10<sup>7</sup>, Dys.<sup>7</sup>)

**Progestogenic phenomena:** Bacls-10 <sup>7</sup>

**Pulse:**

rapid: Dys.  
slow: Bacls-7.

**Purgation after:** Syc-co. <sup>7</sup>

**Reaction,** lack of: Gaert. Morg-g <sup>12</sup>

**Sensitive:**

cold, to: Bacls-7.  
cold damp, to: Bacls-7.  
light, to: Prot,  
sun, to: Morg-p  
ultra-violet light, to: Prot.  
wool, to: Morg-p

**Siezure:** (see HEAD, CNS affections of)

**Softening;** Bones: Dys <sup>12</sup>

**Syncope:** Bacls-7.

**Sudden:** symptoms, appearance of: Prot.

**Swelling;** Glands: Syc <sup>12</sup>

**Spasmodic** symptoms: Prot.

**Tension;** Muscles: Dys <sup>12</sup>

**Thin:** Dys., Gaert, Prot.

**Thyrototoxicosis:** Dys.

**Trembling;** excitement, from: Dys <sup>12</sup>  
intention tremor: Dys <sup>12</sup>

**Uncovering;** kicks covers or clothes off: Dys <sup>12</sup>

**Vaccination,** after: Syc <sup>12</sup>

**Warm room** agg.:Dys.

**Weakness:** Bacls-7. Dys <sup>12</sup> Syc <sup>12</sup>  
- enervation; exertion from; slight: Bacls-7 <sup>12</sup> mut <sup>12</sup>

**Weather:**

storm; agg.; approach of: Dys <sup>12</sup>  
wet agg: Bacls-7, Morg-p.

**Wool** agg.: Morg-p.



## PAIN

**Abdomen:** Dys., Morg-g, Prot.

**Ankles,** painful: Dys.

**Arms:** Morg-p.

**Calf,** painful: Prot.

**Cardiac region:** Dys.

**Chest:** Bacls-7, Dys. Morg-g, Prot.

cold agg: Prot.

extension, on: Dys., Prot.

neuralgia, intercostal: Morg-g.

**Pectoral:** Morg-g.

shingles, since: Morg-p.

sudden: Dys.

**Epigastrium:** Dys., Morg-g., Morg-p. Syc.

**Eyeballs:** Syc.

**Feet,** painful: Bacls-7, Syc.

**Fingers:** Morg-g.

joints: Morg-p.

thumb: Morg-g.

**Gall bladder:** Bacls-7, Morg-g., Morg-p.

gall bladder over: Dys.

**Hands:** Morg-p.†

**Heels:** Morg-p.

**Hips:** Bacls-7, Gaert.

fixed, left side: Bacls-7.

right side: Bacls-7.

stabbing: Bacls-7.

**Hypochondria:** Morg-g, Morg-p.

left: Morg-g, Morg-p.

right: Morg-g., Morg-p.

**Iliac fossae:** Bacls-10, Morg-p, Prot., Syc.

Midnight agg.: Dys.

Vomiting agg, Dys.

**Iliac region:** Morg-g.

**Joints:** Morg-p.

**Kidney:** Syc.

**Knee:** Dys., Morg-p.†

Grating: Morg-p.

**Liver:** Morg-p.

Liver region: Bacls-7.

**Loins:** Syc.

**Lumbo-sacral:** Syc.

**Lungs,** right base: Syc.

**Metatarsal bones:** Syc.

**Metacarpo-phalangeal joints:** Morg-p.

**Neck,**

beginning to move agg.: Morg-p.

heat agg.: Morg-p.

moving amel: Morg-p.

night agg.: Morg-p.,

**Neuralgic:**

facial: Syc.

left side face: Morg-g.,

intercostal: Morg-g.

orbital, supra and infra: Dys.

post herpetic: Morg-p.

**Nose:** Dys.

root of: Dys.

**Rectum:** Syc.

splinter, as if: Syc.

**Shoulders:** Morg-p.

**Shoulder blade:** Morg-g., Syc.,

left side: Morg-g., Syc.

right side: Morg-g.

**Soles:** Syc.

**Stomach:** Dys., Gaert.

burning: Morg-p., Syc.

hungry, as if: Prot.

eating does not amel.: Prot.

**Thighs** pain before menstruation: Dys.

**Vulva:** Bacls-7,

## Sources

Unmarked sources should be regarded as Bach & Paterson for the time being, until such time as they have been verified to source.

Remedies marked 12 should be considered to be taken from various authors, until they have been verified to source.

- Paterson, E.
- Paterson, J.
- Agrawal, Y.R.
- Gupta, P.
- Dishington, T.
- Wheeler, C.
- 7. Malcolm, R.
- Patrick, H.
- Julian, O.
- Bach, E.
- Foubister,
- 12. Complete rep. v.3
- Ross, T.
- Kennedy, C.
- Whitmont, E.
- Stomper, J
- Spink, F

Compiled and edited by Dr R Malcolm 2001-2007