Centre for Integrative Medical Training In Association with London Integrated Medical Health Education



## Pre-membership Course in Medical Homeopathy

A Blended Course in Homeopathic Medicine for Healthcare Professionals

Unit 54

Therapeutic Pointers for Week 10

### Perinatal Care and Prescribing in Labour

#### **Prolonged labour**

Prescribing guideline - give 30c every 15 minutes for up to 7 doses:

#### **CLINICAL SCENARIOS**

Mother exhausted, weak contractions, foetal distress (if taken to section - baby may be born flat and in need of resuscitation).

**SECALE 30** at the point distress is suspected (close monitoring essential)



Nuria Booth - Homeopathy in Labour https://youtu.be/8adnr4\_xLWE



Severe backache, weak /no contractions.

**PULSATILLA 30** 

(Use Pulsatilla in the tragic cases of late unexplained intra-uterine death. In these cases when labour is induced, there is poor maternal motivation, there can be poor contractions, protracted labour with undue pain and backache)

Prolonged labour when pain stops due to emotional upset,

face red hot and puffy

**OPIUM 30** 

Mother delirious HYOSCYAMUS 30

#### After epidural

Every half hour up to 7 doses

ARNICA 30


Then HYPERICUM 6, 4 hourly up to 5 days.

# FETAL HEART MONITOR INTERPRETATION ACCELERATION VARIABLE DECELERATION LATE DECELERATION Gradual. HR returns systematical to baseline in heart rate from baseline from baseline with contraction. Normal range Can occur at peak of contraction. Onset varies with contractions Maternal contractions Reassuring sign of fetal well being FOR SAMPLE USE ONLY ROUGH TALK HEART MONITOR INTERPRETATION LATE DECELERATION Gradual. HR returns systematical to baseline in heart rate contraction ends in heart rate contraction. Gradual. HR returns systematical to baseline in heart rate contraction ends in heart rate contraction. Onset varies with contractions May indicate fetal distress represent in 83% of labors if repetitive or severes represent in 83% of labors.

#### Malpresentation

Try PULSATILLA 30 hourly up to 3 doses at an early stage. Seek appropriate obstetric advice if baby does not turn.

https://www.slideshare.net/imanswati/occipito-posterior-positition



#### **Post Maturity**

Constitutional treatment for mother If there are frequent 'false pains' after 41 weeks give CAULOPHYLLUM 30c 12 hourly for 3 doses.

CAULOPHYLLUM 30c weekly from 36th week may help to prevent this.

#### Post Partum haemorrhage:

Treat as a potential emergency, exclude coagulopathy, cross-match for blood. Give remedies as indicated but do not delay preparation for other interventions. Monitor throughout.

Dose every 5 minutes up to 10 doses

**SECALE 30** first (exclude twins!)
Continuing labour pains, blood dark and clotted

#### **PULSATILLA**

Profuse bleeding, backache like dysmenorrhoea, tingling in vagina,

body feels as if enlarging, strange sensation as if something alive in abdomen (re-examine patient and check records)

#### **CROCUS**

Exhaustion from blood loss in labour (check Hb and sats)

#### **CHINA**

Continuous bright bleeding +/- nausea, vomiting, feels cold and clumsy, gasps for breath (check Hb and sats) **IPECAC** 

Dark clots lost intermittently, worse from anger, cramping pain > doubling up / pulling knees up to abdomen **CHAMOMILLA** 

Bright red blood clots easily. Pulse hard and full. Face burning hot **FERRUM** 

Slightest movement causes bleeding (recheck for internal tears) Blood and fluid dark clots and bright blood **SABINA** 

Profuse bleeding; intermittent after pains. Blood hot and bright. Pressure in abdomen. (Exclude infection) **BELLADONNA** 



Caulophyllum thalictroides

#### **Retained Placenta**

Give every 5 minutes for up to 10 doses.

Intermittent bleeding, retention of urine. Lower abdomen tender. hot red, mother fearful

#### **PULSATILLA**

Bearing down sensation, strong pains but muscles weak. Woman averse to covering, craves fresh air SECALE

Vagina dry and hot, profuse bleeding. Woman red in face moaning distressed sensitive to jarring

**BELLADONNA** 

Vulva and vagina very sensitive severe cramp-like pains constant ooze of dark blood

**PLATINUM** 



For injury to vagina and vulva:

ARNICA

**BELLIS** 

Stretch injuries at orifices:

**STAPH** 

#### **After Pains**

Sharp pains, general over-sensitivity, worse from loss of sleep **COFFEA** 

Associated with frequency of micturition or urge to open bowels **NUX VOMICA** 

Worse after coffee

**CHAMOMILLA** 

With retained products

**PULSATILLA** 

Over-sensitive and intolerant of pain, agitated

**CIMICIFUGA** 



USS - Retained Placenta

#### **Breast Feeding Problems**

Use 30c up to 4 times a day, up to 3 days.

Sudden excessive milk production

**ACONITE** 

Baby screams from downward motion

**BORAX** 

Breasts hard and swollen, and for mastitis

**BRYONIA** 

Poor quality milk. Mother overweight with cold sweats.

CALC. C.

Engorgement/excessive milk. Mother weepy and sensitive to cold

**PULSATILLA** 

Thin baby vomits after feeds. Baby may have large head

**SILICEA** 

Exhaustion after breast feeding

**CHINA** 

Red streaks on breast, incipient mastitis

**BELLADONNA** 

#### Sore/Cracked Nipples

Inflamed tender nipples

**CHAMOMILLA** 

Pain and soreness worse from cold

ACONITE

Smarting and burning in cracked nipples

**SULPHUR** 

Blisters on cracked nipples

**GRAPHITES** 

Ulcerated nipples

**SILICEA** 

Also

**PULSATILLA** 

**IGNATIA** 



#### Constipation

**NUX VOMICA** 

**BRYONIA** 

**SEPIA** 

#### **Abnormal Lochia**

Scanty discharge, with distended abdomen

COLOCYNTH

Scanty discharge, delirium

BELLDONNA

Heavy discharge of blood

**SECALE** 

excessive discharge after overexertion

ARNICA

Profuse milky discharge

**PULSATILLA** 

As above but becoming bloody

CALC-C

Bearing down sensation, milky discharge streaked with pus, cold sweat

**SEPIA** 

Offensive discharge, smelly, sensitive to heat and cold

**MERCURIUS** 

#### **Exhaustion**

Following loss of blood or heavy sweating

**CHINA** 

Accompanying profuse sweating

CARBO VEG.

With hair loss

CALC. C.

Piles

Initially

**PULSATILLA** 

Later

PAONIA, AESC, COLLINSONIA

CIMT 2022 -adapted from Part 12 Homeopathy for Health Care Professionals - RLHH Academic Dept



Bryonia alba / dioica

#### **Emotional Disturbance**

Loss of interest, irritable and chilly. Morale good in pregnancy but low after. Averse to sex

**SEPIA** 

Excited incoherent talk, red face

**BELLADONNA** 

Talkative and suspicious. Inappropriate laughter. Persistent obscene thoughts

**HYOSCYAMUS** 

Weepy lack of thirst. Worse for heat

**PULSATILLA** 

Irritable withdrawn, full of guilt and resentment. Wants to be left alone

**NAT MUR** 

Deep depression, sense of impending evil, agitation, loquacious, wild feeling in head, intolerant of pain

**CIMICIFUGA** 

Loss of contact with reality

**ACONITE** 

Beware of post-partum psychosis:


In the event of paranoia, morbid / delusional thought content, concerning behaviour (especially in respect of baby) - refer early for psychiatric assessment.

#### **Puerperal Fever**

Sudden rise in temperature, skin hot and dry, pain in uterus. Thoughts of death

#### **ACONITE**

Sudden fever, red face, stary eyes, delirium, distended abdomen, thirst. Feels as if the bowels are clutched by a giant hand **BELLADONNA** 



Vaginal discharge suddenly stops, constipation, nausea and vomiting, irritability

#### **NUX VOMICA**

Wounds sore, aggravated by slightest movement. Irritable apprehensive and pessimistic **BRYONIA** 

#### **Consider:**

PYROGEN / STREPTOCOCCINUM



Aconitum napellu