

Remedy

Is there change?

No
 Wrong remedy
 OR
 Potency too low

Definite amelioration
 Are all symptoms ameliorated?

No
 Are any symptoms aggravated?

Yes
 Wait until improvement ceases*

Repeat same remedy and potency

OR
 Give higher potency of same remedy

Slight amelioration

Some symptoms worse, others no change

What is general ambiance?

Less energy? Depressed? Withdrawn?

Yes
 Re-analyze case and give new remedy

After 2-4 weeks no further improvement

Generally worse

Likely wrong remedy, esp. if there is no evidence of symptoms improving

No
 More energy? More "up"? More social interactions?

Yes
 Wait, improvement may follow

After 2-4 wks, some improvement

Wait until improvement ceases, then re-evaluate

*Length of remedy action, single doses, chronic cases
 30C: 2-4 weeks
 200C: 4-6 weeks
 1M, 10M: 6 weeks +
 50M, CM: 2 months +

*Length of remedy action, repeated doses, chronic cases
 3X
 6X
 3X → 12C: 3 weeks - 2 months
 6C
 When improvement ceases, 9C
 go to next potency on this scale: 12C ↓

Have these symptoms ever been present before?

No
 Do symptoms match the symptomatology seen with this remedy?

Yes

No

Wait, remedy acting well

No

Yes

Re-analyze case and give new remedy

Wait, improvement may follow

After 2-4 weeks no further improvement

Wait, improvement may follow

After 2-4 wks, some improvement

Wait until improvement ceases, then re-evaluate

Have aggravated symptoms subsided with general improvement?

No

Yes

Add new symptoms to old ones, re-analyze case and give new treatment

Yes

Is evaluation at 4 weeks, post-treatment?

No

Wait until a full month has passed

Have aggravated symptoms subsided with general improvement?

No

Yes

Add new symptoms to old ones, re-analyze case and give new treatment

Yes

Is evaluation at 4 weeks, post-treatment?

No

Wait until a full month has passed

Have aggravated symptoms subsided with general improvement?

No

Yes

Add new symptoms to old ones, re-analyze case and give new treatment

Yes

Is evaluation at 4 weeks, post-treatment?

No

Wait until a full month has passed

Have aggravated symptoms subsided with general improvement?

No

Yes

Add new symptoms to old ones, re-analyze case and give new treatment

Yes

Is evaluation at 4 weeks, post-treatment?

No

Wait until a full month has passed

Have aggravated symptoms subsided with general improvement?

No

Yes

Add new symptoms to old ones, re-analyze case and give new treatment

Yes

Is evaluation at 4 weeks, post-treatment?

No

Wait until a full month has passed

Have aggravated symptoms subsided with general improvement?

No

Yes

Add new symptoms to old ones, re-analyze case and give new treatment

Yes

Is evaluation at 4 weeks, post-treatment?

No

Wait until a full month has passed

Have aggravated symptoms subsided with general improvement?

No

Yes

Add new symptoms to old ones, re-analyze case and give new treatment

Yes

Is evaluation at 4 weeks, post-treatment?

No

Wait until a full month has passed

Have aggravated symptoms subsided with general improvement?

No

Yes

Add new symptoms to old ones, re-analyze case and give new treatment

Yes

Is evaluation at 4 weeks, post-treatment?

No

Wait until a full month has passed

Have aggravated symptoms subsided with general improvement?

No

Yes

Add new symptoms to old ones, re-analyze case and give new treatment

Yes

Is evaluation at 4 weeks, post-treatment?

No

Wait until a full month has passed

Have aggravated symptoms subsided with general improvement?

No

Yes

Add new symptoms to old ones, re-analyze case and give new treatment

Yes

Is evaluation at 4 weeks, post-treatment?

No

Wait until a full month has passed

Have aggravated symptoms subsided with general improvement?

No

Yes

Add new symptoms to old ones, re-analyze case and give new treatment

Yes

Is evaluation at 4 weeks, post-treatment?

No

Wait until a full month has passed

Have aggravated symptoms subsided with general improvement?

No

Yes

Add new symptoms to old ones, re-analyze case and give new treatment

Yes

Is evaluation at 4 weeks, post-treatment?

No

Wait until a full month has passed

Have aggravated symptoms subsided with general improvement?

No

Yes

Add new symptoms to old ones, re-analyze case and give new treatment

Yes

Is evaluation at 4 weeks, post-treatment?

No

Wait until a full month has passed

Have aggravated symptoms subsided with general improvement?

No

Yes

Add new symptoms to old ones, re-analyze case and give new treatment

Yes

Is evaluation at 4 weeks, post-treatment?

No

Wait until a full month has passed

Have aggravated symptoms subsided with general improvement?

No

Yes

Add new symptoms to old ones, re-analyze case and give new treatment

Yes

Is evaluation at 4 weeks, post-treatment?

No

Wait until a full month has passed

Have aggravated symptoms subsided with general improvement?

No

Yes

Add new symptoms to old ones, re-analyze case and give new treatment

Yes

Is evaluation at 4 weeks, post-treatment?

No

Wait until a full month has passed

Have aggravated symptoms subsided with general improvement?

No

Yes

Add new symptoms to old ones, re-analyze case and give new treatment

Yes

Is evaluation at 4 weeks, post-treatment?

No

Wait until a full month has passed

Have aggravated symptoms subsided with general improvement?

No

Yes

Add new symptoms to old ones, re-analyze case and give new treatment

Yes

Is evaluation at 4 weeks, post-treatment?

No

Wait until a full month has passed

Have aggravated symptoms subsided with general improvement?

No

Yes

Add new symptoms to old ones, re-analyze case and give new treatment

Yes

Is evaluation at 4 weeks, post-treatment?

No

Wait until a full month has passed

Have aggravated symptoms subsided with general improvement?

No

Yes

Add new symptoms to old ones, re-analyze case and give new treatment

Yes

Is evaluation at 4 weeks, post-treatment?

No

Wait until a full month has passed

Have aggravated symptoms subsided with general improvement?

No

Yes

Add new symptoms to old ones, re-analyze case and give new treatment

Yes

Is evaluation at 4 weeks, post-treatment?

No

Wait until a full month has passed

Have aggravated symptoms subsided with general improvement?

No

Yes

Add new symptoms to old ones, re-analyze case and give new treatment

Yes

Is evaluation at 4 weeks, post-treatment?

No

Wait until a full month has passed

Time to evaluate
 Acute: a few hours
 Chronic: 2-4 weeks depending on intensity and severity of case. The more of a "crisis" present, the quicker the response of the vital force. Best to wait as long as possible, but 4 weeks is long enough to evaluate any case.