

Centre for Integrative Medical Training
In Association with London Integrated Medical Health Education



Intermediate Course in Medical Homeopathy

A Blended Course in Homeopathic Medicine for Healthcare Professionals

Unit 28

PRINCIPLES & PRACTICE - Hand Repertorisation Supplement - Week 8

with Printable Analysis Sheet

**If you are sharing an on-screen repertorisation with fellow learners,
or with your tutor, please enter your name and case name / ref below**

Student (name):

Case name / reference:

**NB. Be sure to file your new form under a new file name to ensure
that the original repertorisation grid remains blank for future use.**

Using the repertorisation grid (printable repertory analysis sheets)

These grids allow you to weigh up the relative indication for different remedies, based on the features that you feel are important in terms of their homeopathic implications.

The repertorisation grid has space for 8 symptoms and their source rubric reference. (Fig.1) The great value of the grid over computer repertorisation is that you can cross-reference rubrics from any source and not merely those currently available in software form.

This is also useful if you wish to enter related and complementary remedies listed in the materia medica, as part of your analysis strategy.

No	Symptom	rep	No	Symptom	rep
1			5		
2			6		
3			7		
4			8		

Fig 1.

First choose the symptoms you feel are important, and locate the rubrics which most accurately and usefully represent them. (Fig. 2)

No	Symptom	rep	No	Symptom	rep
1	<i>Anticipation, ailments from</i> Kent	<i>K4</i>	5	<i>Somnambulism</i> Lee	<i>L65</i>
2	<i>Desires fat:</i> Murphy	<i>M</i> <i>540</i>	6	<i>Follows Ars. well</i> R.Gibson Miller	<i>G7</i>
3	<i>Barometer, sens. to change of</i> Murphy	<i>M</i> <i>357</i>	7		
4	<i>Arthritis deformans</i> Boericke	<i>B</i> <i>882</i>	8		

Fig 2.

Then enter the weighting attributed to each remedy in the relevant column. (Fig. 3) Beware that different repertories may use different weighting scales.

If you use remedy relationships or other empirical information they should be entered at the lowest grade.

For most sources: **Bold** = 3, *Italic* = 2, normal type = 1

Modern repertories may also include **BOLD** underlined (= 4)

If a rubric contains remedies that are not in the grid, use the blank spaces in the remedy column to create a row for that remedy. Once all the remedy weightings have been inserted,

add up the score for each material and log it in the column marked 'S'

Note the number of appearances of each remedy in the analysis, and the sum of the weighted scores can be recorded as an index 2/4 for *Ant-t* in the example opposite, (scoring 4 in two rubrics). The top scoring remedies are then examined for their appropriateness to the patient, with reference to the materia medica if necessary.

	1	2	3	4	5	6	7	8
Acon.				<i>1</i>				<i>1</i>
Aesc.								
Agar				<i>1</i>				<i>1</i>
All-c								
Aloe				<i>2</i>				<i>2</i>
Alum.								
Ambr.								
Am-c.								
Anac.								
Ant-c.						<i>1</i>		<i>1</i>
Ant-t	<i>3</i>	<i>1</i>						<i>4</i>
Arn.				<i>1</i>		<i>1</i>		<i>2</i>

Fig. 3

Patient name / ref:

Date:

Repertorising Sheet PRINTABLE PAPER HAND ANALYSIS VERSION																														
Nr	Symptom	Rep	ref	Nr	Symptom	Rep	ref																							
1				5																										
2				6																										
3				7																										
4				8																										
		1	2	3	4	5	6	7	8	S		1	2	3	4	5	6	7	8	S		1	2	3	4	5	6	7	8	S
Acon										Crot t.											Nat c.									
Aesc										Cupr												Nat m.								
Agar																						Nat p.								
All c.																						Nat s.								
Aloe																						Nit ac.								
Alum																						Nux m.								
Ambr																						Nux v.								
Amm c																														
Anac										Dig																				
Ant cr										Dros												Olnd								
Ant t										Dulc												Op								
Apis																														
Arg n																						Petr								
Arn										Elaps												Phos								
Ars										Eup per												Ph ac.								
Ars i										Euphr												Phyt								
Arum t																						Plat								
Aur																						Plb								
										Ferr												Podo								
										Ferr p.												Psor								
										Fl ac												Puls								
																						Pyrog								
Bar c.										Gels																				
Bar m.										Glon												Ran b.								
Bapt										Graph												Rhod								
Bell										Guai												Rhus t.								
Bz ac.																						Rurrx								
Berb										Hell												Ruta								
Borax										Hep																				
Brom										Hydr																				
Bry										Hyos												Sabad								
																						Sabin								
										Ign												Sang								
										Ipec												Sars								
										Iris												Seill								
Cact										Iod												Sec								
Calc																						Selen								
Calc f.										Kali bi.												Sep								
Calc p.										Kali c												Sil								
Calc s.										Kali p.												Spig								
Camph										Kali s.												Spong								
Can sat.										Kreos												Stann								
Canth																						Staph								
Caps																						Stict								
Carb a.										Lac c.												Stram								
Carb v.										Lac d.												Sulph								
Caust										Lach												Sulph ac.								
Cham										Laur												Syph								
Chel										Led																				
Chin										Lil t.																				
Chin s										Lyc																				
Cicuta																														
Cimic																														
Cina										Mag c.												Tarant								
Clem										Mag m.												Thuja								
Coc c.										Mag p.												Tub								
Cocc										Mang																				
Coff										Med																				
Colch										Merc												Verat								
Coloc										Merc c.																				
Croc										Mez																				
										Mur ac												Zinc								

Complete in pen & ink and scan to A4 to share