


Centre for Integrative Medical Training  
In Association with London Integrated Medical Health Education



# Intermediate Course in Medical Homeopathy

A Blended Course in Homeopathic Medicine for Healthcare Professionals

---

## Unit 28

**PRINCIPLES & PRACTICE** - Hand Repertorisation Supplement - Week 8

with Printable Analysis Sheet

**If you are sharing an on-screen repertorisation with fellow learners,  
or with your tutor, please enter your name and case name / ref below**

Student (name):

Case name / reference:

**NB. Be sure to file your new form under a new file name to ensure  
that the original repertorisation grid remains blank for future use.**

## Using the repertorisation grid (printable repertory analysis sheets)

These grids allow you to weigh up the relative indication for different remedies, based on the features that you feel are important in terms of their homeopathic implications.

The repertorisation grid has space for 8 symptoms and their source rubric reference. (Fig.1) The great value of the grid over computer repertorisation is that you can cross-reference rubrics from any source and not merely those currently available in software form.

This is also useful if you wish to enter related and complementary remedies listed in the materia medica, as part of your analysis strategy.

No	Symptom	rep	No	Symptom	rep
1			5		
2			6		
3			7		
4			8		

Fig 1.

First choose the symptoms you feel are important, and locate the rubrics which most accurately and usefully represent them. (Fig. 2)

No	Symptom	rep	No	Symptom	rep
1	<i>Anticipation, ailments from</i> <b>Kent</b>	<i>K4</i>	5	<i>Somnambulism</i> <b>Lee</b>	<i>L65</i>
2	<i>Desires fat:</i> <b>Murphy</b>	<i>M</i> <i>540</i>	6	<i>Follows Ars. well</i> <b>R.Gibson Miller</b>	<i>G7</i>
3	<i>Barometer, sens. to change of</i> <b>Murphy</b>	<i>M</i> <i>357</i>	7		
4	<i>Arthritis deformans</i> <b>Boericke</b>	<i>B</i> <i>882</i>	8		

Fig 2.

Then enter the weighting attributed to each remedy in the relevant column. (Fig. 3) Beware that different repertories may use different weighting scales.

If you use remedy relationships or other empirical information they should be entered at the lowest grade.

For most sources: **Bold** = 3, *Italic* = 2, normal type = 1

Modern repertories may also include **BOLD** underlined (= 4)

If a rubric contains remedies that are not in the grid, use the blank spaces in the remedy column to create a row for that remedy. Once all the remedy weightings have been inserted,

add up the score for each material and log it in the column marked 'S'

Note the number of appearances of each remedy in the analysis, and the sum of the weighted scores can be recorded as an index 2/4 for *Ant-t* in the example opposite, (scoring 4 in two rubrics). The top scoring remedies are then examined for their appropriateness to the patient, with reference to the materia medica if necessary.

	1	2	3	4	5	6	7	8
Acon.				<i>1</i>				<i>1</i>
Aesc.								
Agar				<i>1</i>				<i>1</i>
All-c								
Aloe				<i>2</i>				<i>2</i>
Alum.								
Ambr.								
Am-c.								
Anac.								
Ant-c.						<i>1</i>		<i>1</i>
Ant-t	<i>3</i>	<i>1</i>						<i>4</i>
Arn.				<i>1</i>		<i>1</i>		<i>2</i>

Fig. 3

Save this document under a new file name before entering data.

Repertorising Sheet ON SCREEN VERSION																											
Nr	Symptom	Rep	ref	Nr	Symptom	Rep	ref																				
1				5																							
2				6																							
3				7																							
4				8																							
								1	2	3	4	5	6	7	8	S		1	2	3	4	5	6	7	8	S	
Acon																	Crot t.										Nat c.
Aesc																	Cupr										Nat m.
Agar																											Nat p.
All c.																											Nat s.
Aloe																											Nit ac.
Alum																											Nux m.
Ambr																											Nux v.
Amm c																											
Anac																	Dig										
Ant cr																	Dros										Olnd
Ant t																	Dulc										Op
Apis																											
Arg n																											Petr
Arn																	Elaps										Phos
Ars																	Eup per										Ph ac.
Ars i																	Euphr										Phyt
Arum t																											Plat
Aur																											Plb
																	Ferr										Podo
																	Ferr p.										Psor
																	Fl ac										Puls
																											Pyrog
Bar c.																	Gels										
Bar m.																	Glon										Ran b.
Bapt																	Graph										Rhod
Bell																	Guai										Rhus t.
Bz ac.																											Rurrx
Berb																	Hell										Ruta
Borax																	Hep										
Brom																	Hydr										
Bry																	Hyos										Sabad
																											Sabin
																	Ign										Sang
																	Ipec										Sars
																	Iris										Seill
Cact																	Iod										Sec
Calc																											Selen
Calc f.																	Kali bi.										Sep
Calc p.																	Kali c										Sil
Calc s.																	Kali p.										Spig
Camph																	Kali s.										Spong
Can sat.																	Kreos										Stann
Canth																											Staph
Caps																											Stict
Carb a.																	Lac c.										Stram
Carb v.																	Lac d.										Sulph
Caust																	Lach										Sulph ac.
Cham																	Laur										Syph
Chel																	Led										
Chin																	Lil t.										
Chin s																	Lyc										
Cicuta																											
Cimic																											
Cina																	Mag c.										Tarant
Clem																	Mag m.										Thuja
Coc c.																	Mag p.										Tub
Cocc																	Mang										
Coff																	Med										
Colch																	Merc										Verat
Coloc																	Merc c.										
Croc																	Mez										
																	Mur ac										Zinc

\*If using this form on-screen, please enter '0' whenever the remedy is not present in the rubric you are logging.

Save under a new file name before entering data.

